

List of species in the Black Mountain study area, 1927 to April 2017

Explanation of table columns and codes

Plant names, origin and habit (columns 1–5)

Origin (see Table 1 of paper for definitions): E = Exotic species; N = Native (indigenous) species; NW = Native Weed; NL = Native Landscaping species

Habit (see Table 2 of paper for definitions): A = Aquatic; C = Climber; Fe = Fern; F = Forb; Gr = Graminoid; G = Grass; M = Mistletoe; S = Shrub; SS = Subshrub; T = Tree

1969 (columns 6 and 7): these columns refer to species recorded to the end of 1969

Source of record (column 6): GML = species included in Gray and McKee (1969) List; spec = species absent from the Gray and McKee List but with a pre-1970 herbarium specimen

D/A (Distribution/Abundance) rating (column 7)

Distribution: r = restricted; R = rubbish dump area; s = sparse; vr = very restricted; w = widespread

Abundance: c = common; fc = fairly common; lc = locally common; nc = not common; oc = once collected; r = rare; vc = very common

≤1980 (column 8): this column shows the year of species last record prior to 1981. A “1960s” entry indicates species in the Gray and McKee list for which no voucher specimen was cited, or the voucher specimen has not been relocated, or the voucher specimen was located outside the defined Black Mountain area.

1981–2012 (column 9): this column shows the year of species last record from 1981 to 2012 (inclusive); many species have no record during this period. A “2000s” entry indicates species for which the exact year of the record is not known.

Dec 2013 to Ap 2017 (column 10): this column shows species recorded during the period from December 2013 to the end of April 2017, primarily from the intensive field work carried out.

Recorded?: Yes = species recorded from 2007 to the end of April 2017 (inclusive).

2007–2017 (columns 11–13): these columns indicate the current Black Mountain area flora

D/A (Distribution/Abundance) rating (column 11) (see Table 3 for definition of 2017 distribution ratings)

Distribution: r = restricted; s = sparse; vr = very restricted; w = widespread

Abundance: c = common; fc = fairly common; lc = locally common; le = locally extinct; nc = not common; oc = once collected; r = rare; vc = very common

Location (column 12): BGN = species only recorded in the ANBG North Annex; BGS = species only recorded in the ANBG South Annex (Bush Precinct); BMNR = species recorded in the Black Mountain Nature Reserve and areas between the reserve boundary and adjacent roads. No = species with no verifiable record during this period.

Broad habitat (column 13): CK = creek lines, broad drainage flats and seepage areas; D = man-made dams; DSF = Dry Sclerophyll Forest; GW = Grassy Woodland and grassland derived from it (mostly in the south west corner and lowest areas in the north); HD = Highly Disturbed areas, including road verges/easements/cuttings, edge of walking tracks etc.

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
FERNS												
Aspleniaceae	<i>Asplenium flabellifolium</i>	Necklace Fern	N	Fe	GML	s/nc	1975		Yes	s/nc	BMNR	DSF
Aspleniaceae	<i>Pleurosorus rutifolius</i>	Blanket Fern	N	Fe	GML	s/nc	1972		Yes	s/nc	BMNR	DSF
Aspleniaceae	<i>Pleurosorus subglandulosus</i>	Blanket Fern	N	Fe	spec		1962				No	
Blechnaceae	<i>Blechnum cartilagineum</i>	Gristle Fern	N	Fe			1978			le	No	
Blechnaceae	<i>Blechnum minus</i>	Soft Water Fern	N	Fe	GML	vr/oc	1960s		Yes	vr/r	BMNR	CK
Blechnaceae	<i>Doodia australis</i>	Rasp Fern	U	Fe					Yes	vr/oc	BMNR	CK
Cyatheaceae	<i>Cyathea australis</i> subsp. <i>australis</i>	Soft Treefern	U	Fe					Yes	vr/oc	BMNR	CK
Dennstaedtiaceae	<i>Hypolepis rugosula</i>	Ground fern	N	Fe			1978		Yes	vr/r	BMNR	CK
Dennstaedtiaceae	<i>Pteridium esculentum</i> subsp. <i>esculentum</i>	Common Bracken	N	Fe	GML	s/lc	1962		Yes	r/lc	BMNR	DSF
Dryopteridaceae	<i>Polystichum proliferum</i>	Mother Shield Fern	N	Fe			1978		Yes	r/r	BMNR	CK
Lindsaeaceae	<i>Lindsaea microphylla</i>	Lacy Wedge Fern	NW	Fe					Yes	vr/oc	BMNR	HD
Ophioglossaceae	<i>Ophioglossum lusitanicum</i>	Austral Adder's Tongue	N	Fe	GML	r/r	1964	1995	Yes	r/r	BMNR	CK
Pteridaceae	<i>Adiantum aethiopicum</i>	Common Maidenhair	N	Fe	GML	r/lc	1969		Yes	r/lc	BMNR	CK
Pteridaceae	<i>Cheilanthes austrotenuifolia</i>	Rock Fern	N	Fe	GML	w/c	1975	1989	Yes	r/nc	BMNR	CK
Pteridaceae	<i>Cheilanthes distans</i>	Shaggy Rock Fern	N	Fe					Yes	vr/lc	BGS	DSF
Pteridaceae	<i>Cheilanthes sieberi</i> subsp. <i>sieberi</i>	Mulga Rock Fern	N	Fe	spec		1969	1986	Yes	w-s/c	BMNR	DSF
Pteridaceae	<i>Pellaea calidirupium</i>	Creeping Sickle Fern	N	Fe	spec		1949	2009	Yes	r/nc	BMNR	CK
Pteridaceae	<i>Pellaea falcata</i>	Sickle Fern	N	Fe	GML	r/nc	1964		Yes	r/r	BMNR	CK
Pteridaceae	<i>Pteris tremula</i>	Tender Brake	N	Fe					Yes	r/lc	BMNR	CK
CONIFERS												
Cupressaceae	<i>Callitris endlicheri</i>	Black Cypress Pine	N	T	GML	vr/r	1979		Yes	s/lc	BMNR	DSF
Cupressaceae	<i>Callitris glaucophylla</i>	White Cypress Pine	N	T				2010	Yes	vr/oc	BMNR	DSF
Cupressaceae	<i>Hesperocyparis arizonica</i>	Arizona Cypress	E	T				2009	Yes	vr/oc	BMNR	DSF
Pinaceae	<i>Pinus radiata</i>	Radiata Pine, Monterey Pine	E	T	GML	vr/r	1964		Yes	vr/r	BMNR	DSF, GW

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
DICOTYLEDONS												
Adoxaceae	<i>Viburnum tinus</i>	Laurustinus	E	S				2009	Yes	vr/r	BMNR	DSF
Aizoaceae	<i>Carpobrotus aequilaterus</i>	Chilean Pigface	E	SS	GML	vr/nc	1964			le?	No	
Amaranthaceae	<i>Alternanthera</i> sp. A Flora of New South Wales (M.Gray 5187)	Hairy Joyweed	N	F	GML	s/nc	1963		Yes	s/nc	BMNR	GW
Amaranthaceae	<i>Amaranthus powellii</i>	Powell's Amaranth	E	F	GML	s/lc	1972				No	
Apiaceae	<i>Conium maculatum</i>	Hemlock	E	F				1988	Yes	s/lc	BMNR	DSF
Apiaceae	<i>Cyclosporum leptophyllum</i>	Slender Celery	E	F					Yes	vr/r	BMNR	HD
Apiaceae	<i>Daucus glochidiatus</i>	Australian Carrot	N	F	GML	r/lc	1969		Yes	s/nc	BMNR	GW
Apiaceae	<i>Foeniculum vulgare</i>	Fennel	E	F					Yes	vr/oc	BMNR	HD
Apiaceae	<i>Oreomyrrhis eriopoda</i>	Australian Caraway	N	F	GML	r/nc	1964	2002			No	
Apocynaceae	<i>Araujia sericifera</i>	White Bladder Plant	E	C					Yes	vr/oc	BMNR	HD
Apocynaceae	<i>Vinca major</i>	Blue Periwinkle	E	F					Yes	r/lc	BMNR	HD
Araliaceae	<i>Astrotricha ledifolia</i>	Common Starhair	N	S	GML	r/nc	1969		Yes	s/nc	BMNR	DSF
Araliaceae	<i>Hedera helix</i>	English Ivy	E	C					Yes	vr/oc	BMNR	DSF
Araliaceae	<i>Hydrocotyle laxiflora</i>	Stinking Pennywort	N	F	GML	w/c	1970	1986	Yes	s/nc	BMNR	DSF, GW
Araliaceae	<i>Hydrocotyle sibthorpioides</i>	Lawn Pennywort	N	F					Yes	r/lc	BMNR	CK
Asteraceae	<i>Arctotheca calendula</i>	Capeweed	E	F	GML	s/lc	1964	1984	Yes	r/nc	BMNR	HD
Asteraceae	<i>Bedfordia arborescens</i>	Tree Blanketleaf	N	S				1995		le	No	
Asteraceae	<i>Brachyscome diversifolia</i> var. <i>diversifolia</i>	Large-headed Daisy	N	F				1993		vr/lc	No	
Asteraceae	<i>Brachyscome rigidula</i>	Cut-leaved Daisy	N	F	GML	s/fc	1975	1996	Yes	s/nc	BMNR	DSF
Asteraceae	<i>Brachyscome spathulata</i> subsp. <i>spathulata</i>	Spoon-leaved Daisy	N	F	GML	r/lc	1970	1993	Yes	r/lc	BMNR	DSF
Asteraceae	<i>Carduus pycnocephalus</i>	Slender Thistle	E	F	GML	r/lc	1978	1983	Yes	r/lc	BMNR	DSF, CK
Asteraceae	<i>Carduus tenuiflorus</i>	Slender Thistle	E	F	GML	r/lc	1969		Yes	r/lc	BMNR	DSF
Asteraceae	<i>Carthamus lanatus</i>	Saffron Thistle	E	F	GML	s/lc	1961		Yes	s/lc	BMNR	GW
Asteraceae	<i>Cassinia aculeata</i>	Dollybush	N	S	GML	s/lc	1962	2010	Yes	r/r	BMNR	DSF

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Asteraceae	<i>Cassinia sifton</i>	Chinese Shrub	NW	S	GML	r/nc	1964		Yes	s/nc	BMNR	DSF
Asteraceae	<i>Cassinia longifolia</i>	Cauliflower Bush	N	S	GML	s/lc	1962	2009	Yes	w/lc	BMNR	DSF
Asteraceae	<i>Cassinia quinquefaria</i>	Sifton Bush	N	S	GML	w/c	1970	2006	Yes	w/c	BMNR	DSF
Asteraceae	<i>Centipeda cunninghamii</i>	Common Sneezeweed	N	F	GML	r/lc	1949	2006	Yes	r/nc	BMNR	CK
Asteraceae	<i>Centipeda elatinooides</i>	Spreading Sneezeweed	N	F	GML	s/lc	1962				No	
Asteraceae	<i>Chondrilla juncea</i>	Skeleton Weed	E	F	GML	w/fc	1964		Yes	s/lc	BMNR	HD
Asteraceae	<i>Chrysocephalum apiculatum</i>	Yellow Buttons, Common Everlasting	N	F	GML	w/fc	1935		Yes	w/fc	BMNR	GW
Asteraceae	<i>Chrysocephalum semipapposum</i>	Clustered Everlasting	N	F	GML	w/fc	1975	1996	Yes	s/lc	BMNR	DSF, GW
Asteraceae	<i>Cirsium vulgare</i>	Spear Thistle	E	F	GML	s/lc	1964		Yes	s/lc	BMNR	DSF
Asteraceae	<i>Coronidium gunnianum</i>	Pale Everlasting	N	F					Yes	vr/oc	BMNR	CK
Asteraceae	<i>Coronidium monticola</i>	An everlasting daisy	N	F	GML	s/nc	1975	1981	Yes	r/r	BMNR	HD
Asteraceae	<i>Coronidium oxylepis</i> subsp. <i>lanatum</i>	Woolly-pointed Everlasting	N	F	GML	r/lc	1969	2012	Yes	s/fc	BMNR	DSF
Asteraceae	<i>Cotula australis</i>	Common Cotula	N	F	GML	w/lc	1964	1983	Yes	s/lc	BMNR	GW, DSF
Asteraceae	<i>Craspedia variabilis</i>	Variable Billy Buttons	N	F	GML	s/lc	1965	1985	Yes	r/nc	BMNR	GW
Asteraceae	<i>Crepis capillaris</i>	Smooth Hawksbeard	E	F	GML	r/nc	1961		Yes	s/lc	BMNR	CK, HD
Asteraceae	<i>Cymbonotus lawsonianus</i>	Bear's Ears	N	F	GML	w/lc	1969	1995			No	
Asteraceae	<i>Cymbonotus preissianus</i>	Austral Bear's Ears	N	F	GML	w/lc	1964		Yes	s/lc	BMNR	DSF
Asteraceae	<i>Dittrichia graveolens</i>	Stinkwort	E	F	GML	s/lc	1959		Yes	s/lc	BMNR	HD
Asteraceae	<i>Erigeron bonariense</i>	Flax-leaved Fleabane	E	F	GML	s/lc	1963	2000s		s/lc	No	RV
Asteraceae	<i>Erigeron karvinskianus</i>	Seaside Daisy	E	F					Yes	vr/oc	BMNR	CK
Asteraceae	<i>Erigeron sumatrensis</i>	Tall Fleabane	E	F	GML	s/lc	1974		Yes	s/lc	BMNR	HD
Asteraceae	<i>Euchiton involucratus</i>	Star Cudweed	N	F	GML	s/lc	1960s	1989	Yes	r/nc	BMNR	GW
Asteraceae	<i>Euchiton japonicus</i>	Creeping Cudweed	N	F	GML	s/lc	1960s	1995	Yes	r/nc	BMNR	GW
Asteraceae	<i>Euchiton sphaericus</i>	Japanese Cudweed	N	F	spec		1978		Yes	s/lc	BMNR	GW
Asteraceae	<i>Gamochaeta calviceps</i>	Grey Cudweed	E	F	spec		1962		Yes	s/lc	BMNR	GW

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Asteraceae	<i>Gamochaeta purpurea</i>	Spiked Cudweed	E	F					Yes	r/nc	BMNR	GW
Asteraceae	<i>Helianthus tuberosus</i>	Jerusalem Artichoke	E	F	GML	r/r	1963				No	
Asteraceae	<i>Hypochaeris glabra</i>	Smooth Catsear	E	F	GML	w/fc	1969		Yes	w/fc	BMNR	DSF, GW, HD
Asteraceae	<i>Hypochaeris radicata</i>	Flatweed, Common Cat's-ear	E	F	GML	w/c	1970		Yes	w/c	BMNR	DSF, GW, HD
Asteraceae	<i>Isoetopsis graminifolia</i>	Grass Cushions	N	F	GML	s/lc	1960s				No	
Asteraceae	<i>Lactuca saligna</i>	Wild Lettuce	E	F	GML	vr/r	1962				No	
Asteraceae	<i>Lactuca serriola</i>	Prickly Lettuce	E	F	GML	s/lc	1960s		Yes	r/nc	BMNR	GW
Asteraceae	<i>Leptorhynchus elongatus</i>	Lanky Buttons	N	F	GML	r/nc	1960s		Yes	vr/oc	BMNR	DSF
Asteraceae	<i>Leptorhynchus squamatus</i> subsp. <i>squamatus</i>	Scaly Buttons	N	F	GML	w/fc	1969	1981	Yes	r/lc	BMNR	GW
Asteraceae	<i>Leucochrysum albicans</i>	Hoary Sunray	N	F	spec		1964		Yes	r/nc	BMNR	DSF, HD
Asteraceae	<i>Microseris walteri</i>	Yam Daisy, Murnong	N	F	GML	s/nc	1978		Yes	s/nc	BMNR	GW, DSF
Asteraceae	<i>Olearia erubescens</i>	Silky Daisybush	U	S	spec		1953	2009	Yes	r/r	BMNR	DSF
Asteraceae	<i>Olearia lirata</i>	Snowy Daisybush	N	S			1974	1998		s/r	No	
Asteraceae	<i>Olearia microphylla</i>	Twiggy Daisybush	N	S	GML	r/nc	1969	2006	Yes	s/nc	BMNR	DSF, HD
Asteraceae	<i>Olearia</i> sp.		NW	S				2009		vr/oc	BGS	HD
Asteraceae	<i>Olearia tenuifolia</i>	Narrow-leaved Daisybush	N	S	GML	r/nc	1971	2008	Yes	r/r	BMNR	DSF
Asteraceae	<i>Onopordum acanthium</i>	Scotch Thistle	E	F	spec		1947		Yes	r/r	BGS	HD
Asteraceae	<i>Ozothamnus conditus</i>	Sprawling Everlastingbush	N	S	GML	vr/r	1962			le	No	
Asteraceae	<i>Ozothamnus diosmifolius</i>	Rice Flower	U	S					Yes	vr/oc	BMNR	DSF
Asteraceae	<i>Ozothamnus obcordatus</i>	Grey Everlasting	NW	S					Yes	vr/oc	BMNR	DSF

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Asteraceae	<i>Pseudognaphalium luteoalbum</i>	Jersey Cudweed	N	F	GML	r/lc	1961		Yes	r/nc	BMNR	?
Asteraceae	<i>Senecio bathurstianus</i>	Bathurst Fireweed	N	F	GML	r/nc	1964		Yes	s/lc	BMNR	HD, DSF
Asteraceae	<i>Senecio diaschides</i>	Erect Groundsel	N	F					Yes	s/nc	BMNR	DSF, GW
Asteraceae	<i>Senecio gunnii</i>	Mountain Fireweed	N	F				2000s			No	
Asteraceae	<i>Senecio hispidulus</i>	Hispid Fireweed	N	F					Yes	r/r	BMNR	CK
Asteraceae	<i>Senecio linearifolius</i> var. <i>latifolius</i>	Fireweed Groundsel	N	F	GML	s/lc	1980?				No	
Asteraceae	<i>Senecio phelleus</i>	Rock Fireweed	N	F	spec		1975	1998	Yes	w/nc	BMNR	DSF
Asteraceae	<i>Senecio quadridentatus</i>	Cotton Fireweed	N	F	GML	w/fc	1968	2004	Yes	w/nc	BMNR	DSF
Asteraceae	<i>Silybum marianum</i>	Variiegated Thistle	E	F	GML	s/lc	1971				No	
Asteraceae	<i>Solenogyne dominii</i>	Smooth Solenogyne	N	F	GML	w/fc	1964		Yes	s/lc	BMNR	CK
Asteraceae	<i>Solenogyne gunnii</i>	Hairy Solenogyne	N	F			1974	2011		vr/oc	BMNR	?
Asteraceae	<i>Soliva sessilis</i>	Jo-Jo	E	F	GML	r/lc	1960		Yes	r/lc	BMNR	CK
Asteraceae	<i>Sonchus asper</i>	Rough Sowthistle	E	F	GML	w/lc	1960s		Yes	r/nc	BMNR	HD
Asteraceae	<i>Sonchus oleraceus</i>	Common Sowthistle	E	F	GML	s/lc	1975		Yes	r/nc	BMNR	CK
Asteraceae	<i>Stuartina hamata</i>	Hooked Cudweed	N	F	GML	r/lc	1961				No	
Asteraceae	<i>Stuartina muelleri</i>	Spoon Cudweed	N	F	GML	s/lc	1965		Yes	r/lc	BMNR	CK
Asteraceae	<i>Taraxacum sect. Taraxacum</i>	Dandelion	E	F	GML	s/lc	1964				No	
Asteraceae	<i>Tolpis barbata</i>	Tolpis, Yellow Hawkweed	E	F	GML	r/nc	1969	1988	Yes	s/c	BMNR	GW
Asteraceae	<i>Tragopogon dubius</i>	Goat's Beard	E	F				2001		vr/oc	No	
Asteraceae	<i>Tragopogon porrifolius</i> subsp. <i>porrifolius</i>	Salsify	E	F	GML	s/nc	1969				No	
Asteraceae	<i>Triptilodiscus pygmaeus</i>	Common Sunray	N	F	GML	w/fc	1949	2009	Yes	r/lc	BMNR	GW
Asteraceae	<i>Vittadinia cuneata</i> var. <i>cuneata</i>	Fuzzweed	N	F	GML	not given	1971	2011	Yes	r/r	BMNR	DSF, GW
Asteraceae	<i>Vittadinia gracilis</i>	New Holland Daisy	N	F	GML	not given	1964		Yes	s/lc	BMNR	GW

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Asteraceae	<i>Vittadinia muelleri</i>	Narrow-leaved New Holland Daisy	N	F	GML	not given	1971		Yes	s/lc	BMNR	GW
Asteraceae	<i>Xanthium spinosum</i>	Bathurst Burr	E	F	GML	s/nc	1980				No	
Asteraceae	<i>Xerochrysum viscosum</i>	Sticky Everlasting	N	F	GML	s/lc	1969	2010	Yes	s/lc	BMNR	DSF
Berberidaceae	<i>Berberis aquifolium</i>	Mahonia	E	SS				2009	Yes	s/r	BMNR	DSF
Boraginaceae	<i>Buglossoides arvensis</i>	Corn Gromwell	E	F	GML	r/nc	1954				No	
Boraginaceae	<i>Cynoglossum australe</i>	Australian Hound's Tongue	N	F	GML	s/nc	1939				No	
Boraginaceae	<i>Cynoglossum suaveolens</i>	Sweet Hound's Tongue	N	F	GML	s/nc	1969		Yes	s/nc	BMNR	GW
Boraginaceae	<i>Echium plantagineum</i>	Paterson's Curse	E	F	GML	r/nc	1969	1998	Yes	r/nc	BMNR	HD
Boraginaceae	<i>Heliotropium europaeum</i>	Common Heliotrope	E	F					Yes	vr/oc	BMNR	HD
Boraginaceae	<i>Myosotis discolor</i>	Yellow and Blue Forget-me-not	E	F	GML	s/nc	1965	1990	Yes	s/lc	BMNR	GW, DSF
Brassicaceae	<i>Brassica rapa</i>	Mediterranean Turnip	E	F	GML	R/r	1962				No	
Brassicaceae	<i>Capsella bursa-pastoris</i>	Shepherd's Purse	E	F	GML	w/lc	1964				No	
Brassicaceae	<i>Cardamine hirsuta</i>	Common Bittercress	E	F					Yes	r/lc	BMNR	CK
Brassicaceae	<i>Erophila verna</i> subsp. <i>verna</i>	Whitlowgrass	E	F	GML	s/lc	1964				No	
Brassicaceae	<i>Hirschfeldia incana</i>	Buchan Weed	E	F	GML	s/nc	1964		Yes	s/lc	BMNR	HD
Brassicaceae	<i>Lepidium africanum</i>	Common Peppercress	E	F	GML	s/lc	1964		Yes	r/nc	BMNR	GW
Brassicaceae	<i>Lepidium bonariense</i>	Argentine Peppercress	E	F					Yes	vr/oc	BMNR	GW
Brassicaceae	<i>Lepidium didymum</i>	Peppercress	E	F	GML	R/lc	1965				No	
Brassicaceae	<i>Sisymbrium officinale</i>	Hedge Mustard	E	F	GML	R/lc	1980				No	
Campanulaceae	<i>Isotoma fluviatilis</i> subsp. <i>australis</i>	Swamp Isotome	N	F	GML	s/lc	1960		Yes	r/lc	BMNR	CK
Campanulaceae	<i>Lobelia browniana</i>	Toothed Lobelia	N	F	Spec		1974	1996	Yes	r/r	BMNR	CK
Campanulaceae	<i>Lobelia pedunculata</i>	Matted Pratia	N	F	Spec		1950				No	
Campanulaceae	<i>Wahlenbergia communis</i>	Native Bluebell	N	F	GML	not given	1960		Yes	vr/r	BMNR	GW

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Campanulaceae	<i>Wahlenbergia gracilentata</i>	Annual Bluebell	N	F	GML	not given	1961				No	
Campanulaceae	<i>Wahlenbergia gracilis</i>	Australian Bluebell	N	F				1992	Yes	r/nc	BMNR	DSF
Campanulaceae	<i>Wahlenbergia graniticola</i>	Granite Bluebell	N	F	GML	not given	1978	1980	Yes	vr/oc	BGS	DSF
Campanulaceae	<i>Wahlenbergia littoricola</i> subsp. <i>littoricola</i>	A native bluebell	N	F			1975				No	
Campanulaceae	<i>Wahlenbergia luteola</i>	Yellowish Bluebell	N	F					Yes	r/nc	BMNR	DSF
Campanulaceae	<i>Wahlenbergia multicaulis</i>	Tadgell's Bluebell	N	F	spec		1970	1991	Yes	s/nc	BMNR	GW
Campanulaceae	<i>Wahlenbergia stricta</i> subsp. <i>stricta</i>	Tall Bluebell	N	F	GML	not given	1973	1986	Yes	s/nc	BMNR	GW
Cannabaceae	<i>Celtis australis</i>	Lote Tree, Nettle Tree	E	T	GML	vr/r	1964		Yes	s/r	BMNR	DSF
Caprifoliaceae	<i>Centranthus ruber</i> subsp. <i>ruber</i>	Red Valerian	E	F				1993	Yes	vr/oc	BMNR	HD
Caprifoliaceae	<i>Lonicera japonica</i>	Japanese Honeysuckle	E	C	GML	vr/lc	1961	2009	Yes	s/lc	BMNR	CK, DSF
Caryophyllaceae	<i>Cerastium balearicum</i>	Balaeric Mouse-eared Chickweed	E	F	GML	vr/lc	1964				No	
Caryophyllaceae	<i>Cerastium glomeratum</i>	Mouse-eared Chickweed	E	F	GML	s/lc	1964		Yes	s/lc	BMNR	DSF
Caryophyllaceae	<i>Moenchia erecta</i>	Erect Chickweed	E	F	GML	s/lc	1966	1995	Yes	r/r	BMNR	GW
Caryophyllaceae	<i>Paronychia brasiliiana</i>	Brazilian Whitlow, Chilean Whitlow	E	F	GML	s/lc	1964		Yes	s/nc	BMNR	HD
Caryophyllaceae	<i>Petrorhagia dubia</i>	Velvet Pink	E	F	GML	r/nc	1935				No	
Caryophyllaceae	<i>Petrorhagia nanteuilii</i>	Proliferous Pink	E	F	GML	s/lc	1969		Yes	s/nc	BMNR	DSF
Caryophyllaceae	<i>Polycarpon tetraphyllum</i>	Four-leaved Allseed	E	F	GML	r/lc	1962		Yes	r/nc	BMNR	HD
Caryophyllaceae	<i>Sagina apetala</i>	Annual Pearlwort	E	F	GML	r/nc	1962		Yes	r/nc	BMNR	HD
Caryophyllaceae	<i>Silene gallica</i> var. <i>gallica</i>	French Catchfly	E	F	GML	R/lc	1965		Yes	r/lc	BMNR	GW
Caryophyllaceae	<i>Silene gallica</i> var. <i>quinquevulnera</i>	Five-wounded Catchfly	E	F	GML	r/lc	1935		Yes	r/lc	BMNR	GW
Caryophyllaceae	<i>Spergula arvensis</i>	Corn Spurrey	E	F	GML	R/r	1958?				No	
Caryophyllaceae	<i>Spergularia rubra</i>	Sand Spurrey	E	F	GML	s/lc	1968	1984	Yes	r/nc	BMNR	HD

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Caryophyllaceae	<i>Stellaria media</i>	Chickweed	E	F	GML	s/lc	1960s	1986	Yes	s/lc	BMNR	DSF
Caryophyllaceae	<i>Stellaria multiflora</i> subsp. <i>collaris</i>	A starwort	N	F	GML	r/r	1964				No	
Caryophyllaceae	<i>Stellaria multiflora</i> subsp. <i>nebulosa</i>	Rayless Starwort	N	F	GML	s/r	1964				No	
Caryophyllaceae	<i>Stellaria pallida</i>	Lesser Chickweed	E	F				1981	Yes	r/lc	BMNR	DSF
Caryophyllaceae	<i>Stellaria pungens</i>	Prickly Starwort	N	F	GML	s/lc	1969		Yes	s/lc	BMNR	DSF
Casuarinaceae	<i>Allocasuarina verticillata</i>	Drooping Sheoak	N	T	GML	vr/r	1961	2009		r/r	BMNR	DSF
Casuarinaceae	<i>Casuarina cunninghamiana</i>	River Oak	NW	T					Yes	vr/r	BMNR	DSF
Celastraceae	<i>Stackhousia monogyna</i>	Creamy Candles	N	F	GML	s/nc	1975		Yes	s/nc	BMNR	DSF
Chenopodiaceae	<i>Dysphania multifida</i>	Scented Goosefoot	E	F	GML	s/lc	1960s				No	
Chenopodiaceae	<i>Dysphania pumilio</i>	Small Crumbweed	N	F	GML	s/lc	1980		Yes	s/nc	BMNR	HD
Chenopodiaceae	<i>Einadia hastata</i>	Saloop	N	SS				2009	Yes	s/lc	BMNR	DSF
Chenopodiaceae	<i>Einadia nutans</i> subsp. <i>nutans</i>	Climbing Saltbush	N	SS	GML	s/lc	1976		Yes	s/lc	BMNR	DSF
Cistaceae	<i>Cistus salviifolius</i>	Rock Rose	E	S				1999		le	No	-
Convolvulaceae	<i>Convolvulus angustissimus</i> subsp. <i>angustissimus</i>	Australian Bindweed, Pink Bindweed	N	F	GML	s/lc	1969		Yes	s/nc	BMNR	GW
Convolvulaceae	<i>Dichondra repens</i>	Kidney Weed	N	F	GML	w/fc	1964		Yes	s/lc	BMNR	DSF
Crassulaceae	<i>Crassula colligata</i> subsp. <i>colligata</i>		N	F			1978				No	
Crassulaceae	<i>Crassula decumbens</i> var. <i>decumbens</i>	Spreading Crassula, Rufous Stonecrop	N	F	GML	r/lc	1964				No	
Crassulaceae	<i>Crassula peduncularis</i>	Stalked Stonecrop	N	F	GML	vr/r	1964	1987	Yes	vr/lc	BMNR	CK
Crassulaceae	<i>Crassula sieberiana</i>	Australian Crassula, Australian Stonecrop	N	F	GML	w/c	1975		Yes	w/nc	BMNR	DSF, GW
Crassulaceae	<i>Sedum praealtum</i> subsp. <i>praealtum</i>	Stonecrop	E	S	GML	R/nc	1962				No	
Cucurbitaceae	<i>Citrullus amarus</i>	Wild Melon, Bitter Melon	E	F	spec		1962			le	No	
Dilleniaceae	<i>Hibbertia calycina</i>	Lesser Guineaflower	N	SS	GML	s/lc	1975	2011	Yes	s/lc	BMNR	DSF

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Dilleniaceae	<i>Hibbertia obtusifolia</i>	Hoary Guineaflower	N	SS	GML	w/fc	1975	1990	Yes	w/fc	BMNR	DSF
Droseraceae	<i>Drosera auriculata</i>	Tall Sundew	N	F	GML	s/fc	1978	2010	Yes	s/lc	BMNR	DSF
Droseraceae	<i>Drosera peltata</i>	Pale Sundew	N	F	GML	s/lc	1963	1995	Yes	s/lc	BMNR	GW, DSF
Elatinaceae	<i>Elatine gratioloides</i>	Waterwort	N	F	GML	s/nc	1960s		Yes	r/lc	BMNR	D, CK
Ericaceae	<i>Acrotriche serrulata</i>	Groundberry	N	SS				2009	Yes	s/r	BMNR	GW
Ericaceae	<i>Arbutus unedo</i>	Strawberry Tree	E	S				2009		r/r	BMNR	DSF
Ericaceae	<i>Astroloma humifusum</i>	Native Cranberry	N	SS	GML	s/nc	1964	2009	Yes	s/r	BMNR	DSF, GW
Ericaceae	<i>Brachyloma daphnoides</i>	Daphne Heath	N	SS	GML	s/fc	1975	1998	Yes	w/fc	BMNR	DSF
Ericaceae	<i>Leucopogon attenuatus</i>	Grey Beardheath	N	SS	GML	s/fc	1978	2009	Yes	s/lc	BMNR	DSF
Ericaceae	<i>Leucopogon fletcheri</i> subsp. <i>brevisepalus</i>	Twin-flowered Beardheath	N	S	GML	r/lc	1976	1986	Yes	s/nc	BMNR	DSF
Ericaceae	<i>Leucopogon microphyllus</i> var. <i>pilibundus</i>	Hairy Beardheath	N	SS	GML	s/lc	1975	Yes	Yes	r/lc	BMNR	DSF
Ericaceae	<i>Leucopogon virgatus</i> var. <i>virgatus</i>	Common Beardheath	N	S	GML	s/nc	1975	1986	Yes	s/lc	BMNR	DSF
Ericaceae	<i>Lissanthe strigosa</i> subsp. <i>subulata</i>	Peach Heath	N	S	spec		1949				No	
Ericaceae	<i>Melichrus urceolatus</i>	Urn Heath	N	SS	GML	s/fc	1975	1986	Yes	s/fc	BMNR	DSF, GW
Ericaceae	<i>Monotoca scoparia</i>	Prickly Broom Heath	N	S	GML	s/fc	1975	2009	Yes	s/fc	BMNR	DSF
Ericaceae	<i>Styphelia triflora</i>	Fivecorners	N	S			1973			?	No	
Euphorbiaceae	<i>Euphorbia dallachyana</i>	A spurge	N	F	GML	s/lc	1970		Yes	s/nc	BMNR	HD
Euphorbiaceae	<i>Euphorbia peplus</i>	Petty Spurge	E	F					Yes	r/nc	BMNR	HD
Fabaceae	<i>Acacia baileyana</i>	Cootamundra Wattle	NW	T	GML	s/lc	1976	1998	Yes	s/lc	BMNR	DSF, HD
Fabaceae	<i>Acacia binervata</i>	Two-veined Hickory	NW	T					Yes	r/r	BMNR	DSF
Fabaceae	<i>Acacia boormanii</i>	Snowy River Wattle	NW	S				2009	Yes	r/r	BMNR	DSF
Fabaceae	<i>Acacia buxifolia</i> subsp. <i>buxifolia</i>	Box-leaved Wattle	N	S	GML	w/lc	1976	2010	Yes	w/lc	BMNR	DSF
Fabaceae	<i>Acacia cardiophylla</i>	Wyalong Wattle	NW	S				2009		r/r	BMNR	DSF

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Fabaceae	<i>Acacia cultriformis</i>	Knife-leaved Wattle	NW-NL	S			1975	2009	Yes	s/lc	BMNR	DSF, HD
Fabaceae	<i>Acacia dawsonii</i>	Poverty Wattle	NL-NW	S					Yes	s/lc	BMNR	HD
Fabaceae	<i>Acacia dealbata</i> subsp. <i>dealbata</i>	Silver Wattle	N	S	GML	w/fc	1976	1998	Yes	s/lc	BMNR	DSF, GW
Fabaceae	<i>Acacia decurrens</i>	Green Wattle, Black Wattle	NW	S	GML	s/lc	1976	1998	Yes	s/lc	BMNR	HD, GW, DSF
Fabaceae	<i>Acacia elata</i>	Mountain Cedar Wattle	NW	T				2009	Yes	vr/oc	BMNR	DSF
Fabaceae	<i>Acacia elongata</i>	Broad-leaved Hickory	NW	T				2009	Yes	r/r	BMNR	DSF
Fabaceae	<i>Acacia extensa</i>	Wiry Wattle	NW	S					Yes	vr/lc	BMNR	DSF
Fabaceae	<i>Acacia falcata</i>	Hickory Wattle	NW	S					Yes	vr/oc	BGN	DSF
Fabaceae	<i>Acacia fimbriata</i>	Swamp Wattle	NW	S				2009	Yes	r/r	BMNR	DSF
Fabaceae	<i>Acacia flexifolia</i>	Bent-leaved Wattle	NW	S					Yes	vr/r	BGN	DSF
Fabaceae	<i>Acacia genistifolia</i>	Early Wattle	N	S	GML	w/c	1976	2011	Yes	w/c	BMNR	DSF
Fabaceae	<i>Acacia gunnii</i>	Ploughshare Wattle, Dogstooth Wattle	N	S	GML	s/lc	1976	2008	Yes	s/nc	BMNR	DSF
Fabaceae	<i>Acacia howittii</i>	Howitt's Wattle	NW	T				2009	Yes	r/r	BMNR	DSF
Fabaceae	<i>Acacia implexa</i>	Hickory Wattle	N	T	GML	s/fc	1970	1999	Yes	s/nc	BMNR	DSF
Fabaceae	<i>Acacia lanigera</i> var. <i>lanigera</i>	Hairy Wattle	N	S	GML	r/nc	1975	1998	Yes	r/nc	BMNR	DSF
Fabaceae	<i>Acacia leucoclada</i> / <i>parvipinnula</i>		NW	T					Yes	vr/oc	BGN	HD
Fabaceae	<i>Acacia linearifolia</i>	Narrow-leaved Wattle	NW	T				2012	Yes	r/r	BMNR	DSF
Fabaceae	<i>Acacia longifolia</i> subsp. <i>longifolia</i>	Sydney Golden Wattle	NW	S	spec		1964	2009	Yes	r/r	BMNR	DSF
Fabaceae	<i>Acacia lunata</i>	Lunate-leaved Wattle	NW	S					Yes	vr/r	BMNR	DSF
Fabaceae	<i>Acacia mearnsii</i>	Black Wattle, Green Wattle	N	T	GML	w/lc	1976	1998	Yes	w/lc	BMNR	DSF, GW

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Fabaceae	<i>Acacia melanoxylon</i>	Blackwood	NW	T			1976		Yes	r/r	BMNR	DSF, HD
Fabaceae	<i>Acacia parramattensis</i>	Parramatta Green Wattle	N	T	GML	s/fc	1976	2002	Yes	s/lc	BMNR	DSF, GW
Fabaceae	<i>Acacia penninervis</i> var. <i>penninervis</i>	Mountain Hickory	N	S	GML	vr/nc	1976	2000	Yes	s/lc	BMNR	DSF
Fabaceae	<i>Acacia pravissima</i>	Oven's Wattle, Wedge-leaved Wattle	N	S	spec		1957		Yes	r/r	BMNR	DSF
Fabaceae	<i>Acacia pycnantha</i>	Golden Wattle	NW	S					Yes	vr/oc	BGS	DSF
Fabaceae	<i>Acacia rubida</i>	Red-leaved Wattle, Red-stemmed Wattle	NW	S	GML	vr/r	1979	2009	Yes	s/lc	BMNR	DSF, GW
Fabaceae	<i>Acacia saligna</i>	Blue-leaved Wattle	NW	S					Yes	r/r	BMNR	HD
Fabaceae	<i>Acacia sertiformis</i>		NW	S					Yes	vr/oc	BGN	HD
Fabaceae	<i>Acacia stricta</i>	Hop Wattle	NW	S					Yes	vr/r	BGN	DSF
Fabaceae	<i>Acacia subulata</i>	Awl-leaved wattle	NL-NW	S					Yes	r/r	BMNR	HD
Fabaceae	<i>Acacia ulicifolia</i>	Juniper Wattle	N	S				2009	Yes	s/r	BMNR	DSF
Fabaceae	<i>Acacia vestita</i>	Weeping Boree	NW	S					Yes	r/r	BMNR	DSF
Fabaceae	<i>Acacia viscidula</i>	Sticky Wattle	NW	S					Yes	vr/lc	BGN	DSF
Fabaceae	<i>Albizia julibrissin</i>		E	S					Yes	vr/oc	BMNR	HD
Fabaceae	<i>Bossiaea buxifolia</i>	Matted Bossiaea	N	SS	GML	w/fc	1975		Yes	s/nc	BMNR	DSF
Fabaceae	<i>Bossiaea prostrata</i>	Creeping Bossiaea	N	SS	GML	r/nc	1965		Yes	r/r	BMNR	DSF
Fabaceae	<i>Cercis siliquastrum</i> f. <i>albida</i>	Judas Tree	E	S					Yes	vr/oc	BMNR	HD
Fabaceae	<i>Chamaecytisus palmensis</i>	Tree Lucerne	E	S	GML	vr/lc	1963	1998		?	No	
Fabaceae	<i>Cytisus scoparius</i>	Broom	E	S				2010		vr/oc	BMNR	CK
Fabaceae	<i>Daviesia acicularis</i>	Sandplain Bitterpea	U	S	GML	vr/r	1979		Yes	vr/oc	BMNR	DSF, HD
Fabaceae	<i>Daviesia mimosoides</i> subsp. <i>mimosoides</i>	Narrow-leaved Bitterpea	N	S	GML	w/c	1976	2011	Yes	w/c	BMNR	DSF
Fabaceae	<i>Daviesia ulicifolia</i> subsp. <i>ruscifolia</i>	Gorse Bitterpea	N	S	GML	s/lc	1960		Yes	s/lc	BMNR	DSF

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Fabaceae	<i>Desmodium brachypodum</i>	Large Tick Trefoil	N	F			1971			?	No	
Fabaceae	<i>Desmodium varians</i>	Southern Tick Trefoil, Slender Ticktrefoil	N	F	GML	s/nc	1962		Yes	s/nc	BMNR	GW, DSF
Fabaceae	<i>Dillwynia phyllicoides</i>	Small-leaved Parrotpea	N	S	GML	w/c	1975	2011	Yes	w/c	BMNR	DSF
Fabaceae	<i>Dillwynia sericea</i>	Showy Parrotpea	N	S	GML	s/fc	1978		Yes	s/lc	BMNR	GW
Fabaceae	<i>Genista monspessulana</i>	Montpellier Broom	E	S	GML	vr/r	1962			le?	No	
Fabaceae	<i>Gleditsia triacanthos</i>		E	S					Yes	vr/oc	BMNR	HD
Fabaceae	<i>Glycine clandestina</i>	Twining Glycine	N	F	GML	s/lc	1969	1990	Yes	s/nc	BMNR	GW, DSF
Fabaceae	<i>Glycine tabacina</i>	Glycine Pea	N	F	GML	s/lc	1971		Yes	s/nc	BMNR	GW
Fabaceae	<i>Gompholobium huegelii</i>	Pale Wedgepea	N	SS	GML	s/lc	1978		Yes	r/nc	BMNR	DSF
Fabaceae	<i>Hardenbergia violacea</i>	False Sarsaparilla	N	C	GML	s/lc	1975	1990	Yes	s/lc	BMNR	DSF
Fabaceae	<i>Hovea asperifolia</i> subsp. <i>asperifolia</i>	Hovea	NW	SS				2009	Yes	vr/oc	BMNR	DSF
Fabaceae	<i>Hovea heterophylla</i>	Creeping Hovea	N	SS	GML	s/nc	1975	2009	Yes	s/nc	BMNR	DSF
Fabaceae	<i>Indigofera australis</i> subsp. <i>australis</i>	Australian Indigo	N	S	GML	s/nc	1975		Yes	s/nc	BMNR	DSF
Fabaceae	<i>Lotus australis</i> var. <i>australis</i>	Australian Trefoil	N	F	spec		1969				No	
Fabaceae	<i>Medicago arabica</i>	Spotted Medic	E	F	GML	r/nc	1952				No	
Fabaceae	<i>Medicago lupulina</i>	Black Medic	E	F	GML	r/lc	1975				No	
Fabaceae	<i>Medicago minima</i>	Woolly-burred Medic	E	F	GML	r/nc	1960s				No	
Fabaceae	<i>Medicago polymorpha</i>	Burred Medic	E	F	GML	s/fc	1980				No	
Fabaceae	<i>Medicago sativa</i>	Lucerne	E	F			1969	1981			No	
Fabaceae	<i>Medicago truncatula</i>	Barrel medic	E	F	spec		1964				No	
Fabaceae	<i>Melilotus albus</i>	Bokhara Clover	E	F	GML	r/r	1960s		Yes	r/lc	BMNR	HD
Fabaceae	<i>Mirbelia oxylobioides</i>	Mountain Mirbelia	N	S	GML	w/c	1969	2011	Yes	s/nc	BMNR	DSF
Fabaceae	<i>Pultenaea procumbens</i>	Hairy Bushpea	N	SS	GML	w/c	1975	2011	Yes	w/c	BMNR	DSF
Fabaceae	<i>Robinia pseudoacacia</i>	Black Locust	E	S	GML	r/nc	1980			le	No	
Fabaceae	<i>Securigera varia</i>	Crown Vetch	E	F	GML	r/lc	1967	2012	Yes	r/lc	BMNR	HD

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Fabaceae	<i>Senna aciphylla</i>	Australian Senna	NW	S					Yes	vr/r	BMNR	HD
Fabaceae	<i>Swainsona galegifolia</i>	Smooth Darling Pea	NL-NW	F				2011	Yes	r/r	BMNR	HD
Fabaceae	<i>Swainsona monticola</i>	Notched Swainson-pea	N	F	spec		1953				No	
Fabaceae	<i>Swainsona recta</i>	Small Purple Pea	N	F	GML	r/r	1939				No	
Fabaceae	<i>Trifolium angustifolium</i> var. <i>angustifolium</i>	Narrow-leaved Clover	E	F					Yes	r/nc	BMNR	GW
Fabaceae	<i>Trifolium arvense</i> var. <i>arvense</i>	Hare's Foot Clover	E	F	GML	w/vc	1969		Yes	r/lc	BMNR	GW
Fabaceae	<i>Trifolium campestre</i> var. <i>campestre</i>	Hop Clover	E	F	GML	w/c	1966		Yes	r/lc	BMNR	GW
Fabaceae	<i>Trifolium dubium</i>	Suckling Clover	E	F	GML	w/fc	1964		Yes	s/nc	BMNR	GW
Fabaceae	<i>Trifolium glomeratum</i>	Clustered Clover	E	F	GML	s/fc	1966	1989	Yes	s/nc	BMNR	GW
Fabaceae	<i>Trifolium incarnatum</i> var. <i>incarnatum</i>	Crimson Clover	E	F			1976	1988			No	
Fabaceae	<i>Trifolium repens</i> var. <i>repens</i>	White Clover	E	F	GML	w/fc	1966		Yes	r/nc	BMNR	GW
Fabaceae	<i>Trifolium subterraneum</i>	Subterranean Clover	E	F	GML	s/lc	1964	1989	Yes	r/nc	BMNR	GW
Fabaceae	<i>Vicia disperma</i>	French Tiny Vetch	E	F	GML	vr/lc	1959				No	
Fabaceae	<i>Vicia hirsuta</i>	Hairy Vetch	E	F	GML	vr/nc	1962	1998	Yes	r/lc	BMNR	HD
Fabaceae	<i>Vicia sativa</i> subsp. <i>nigra</i>	Common Vetch	E	F	GML	vr/lc	1964	1998	Yes	r/nc	BMNR	HD
Fabaceae	<i>Zornia dyctiocarpa</i> var. <i>dyctiocarpa</i>	Zornia	N	F	spec		1971	2012	Yes	r/nc	BMNR	GW
Fagaceae	<i>Quercus</i> sp.	An Oak	E	T				2009	Yes	r/r	BGS	DSF
Gentianaceae	<i>Centaurium erythraea</i>	Common Centaury	E	F	GML	w/lc	1969	1989	Yes	w/lc	BMNR	CK
Gentianaceae	<i>Centaurium tenuiflorum</i>	Branched Centaury	E	F				1989			No	
Gentianaceae	<i>Cicendia quadrangularis</i>	Square Cicenda	E	F	GML	r/lc	1964		Yes	r/lc	BMNR	GW
Gentianaceae	<i>Sebaea ovata</i>	Yellow Sebaea	N	F	GML	r/lc	1952		Yes	r/lc	BMNR	GW
Geraneaceae	<i>Erodium botrys</i>	Long Storksbill	E	F	GML	R/lc	1960s				No	
Geraniaceae	<i>Erodium cicutarium</i>	Common Storksbill	E	F	GML	w/lc	1980?				No	
Geraniaceae	<i>Erodium crinitum</i>	Blue Storksbill, Native Crowsfoot	N	F	GML	s/lc	1969		Yes	r/nc	BMNR	HD

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Geraniaceae	<i>Geranium retrorsum</i>	Grassland Cranesbill	N	F				1987	Yes	r/lc	BMNR	GW
Geraniaceae	<i>Geranium solanderi</i> var. <i>solanderi</i>	Native Geranium	N	F	GML	w/c	1969	1987	Yes	s/c	BMNR	GW, DSF
Goodeniaceae	<i>Goodenia hederacea</i> subsp. <i>hederacea</i>	Ivy Goodenia	N	F	GML	s/c	1975	1995	Yes	w/c	BMNR	DSF
Goodeniaceae	<i>Goodenia ovata</i>		NW	S			1969				No	
Goodeniaceae	<i>Goodenia pinnatifida</i>	Cut-leaved Goodenia, Scrambled Eggs	N	F	GML	r/lc	1975		Yes	r/nc	BMNR	GW
Goodeniaceae	<i>Velleia paradoxa</i>	Spurred Velleia	N	F	GML	r/lc	1949		Yes	r/r	BMNR	GW
Haloragaceae	<i>Gonocarpus tetragynus</i>	Common Raspwort	N	F	GML	r/lc	1969	2013	Yes	w/lc	BMNR	DSF
Haloragaceae	<i>Haloragis heterophylla</i>	Variable Raspwort	N	F	GML	s/lc	1960s		Yes	s/lc	BMNR	GW
Haloragaceae	<i>Myriophyllum crispatum</i>	Upright Water Milfoil	N	A	GML	r/lc	1964				No	
Hypericaceae	<i>Hypericum gramineum</i>	Small St John's Wort	N	F	GML	s/lc	1970		Yes	s/nc	BMNR	CK, GW
Hypericaceae	<i>Hypericum perforatum</i> subsp. <i>veronense</i>	St John's Wort	E	F	GML	s/lc	1962	1989	Yes	s/lc	BMNR	HD
Lamiaceae	<i>Ajuga australis</i>	Austral Bugle; Australian Bugloss	N	F	GML	r/lc	1969		Yes	vr/oc	BMNR	DSF
Lamiaceae	<i>Marrubium vulgare</i>	Horehound	E	F	GML	r/lc	1960s		Yes	r/nc	BMNR	HD
Lamiaceae	<i>Mentha diemenica</i>	Slender Mint	N	F	GML	r/lc	1962		Yes	vr/r	BMNR	CK
Lamiaceae	<i>Mentha x piperita</i> var. <i>citrata</i>	Peppermint	E	F					Yes	vr/r	BMNR	CK
Lamiaceae	<i>Origanum vulgare</i>	Oregano	E	F				2009	Yes	vr/r	BMNR	HD
Lamiaceae	<i>Prunella vulgaris</i>	Selfheal	E	F	spec		1964				No	
Lamiaceae	<i>Salvia verbenaca</i> var. <i>verbenacea</i>	Wild Sage	E	F	GML	s/lc	1969		Yes	s/nc	BMNR	GW
Lamiaceae	<i>Scutellaria humilis</i>	Australian Skullcap	N	F	GML	s/r	1949		Yes	s/nc	BMNR	DSF
Lauraceae	<i>Cassytha pubescens</i>	Downy Dodder Laurel, Devil's Twine	N	C	GML	w/fc	1975		Yes	w/nc	BMNR	DSF, HD
Lentibulariaceae	<i>Utricularia dichotoma</i>	Fairies' Aprons	N	F	GML	s/lc	1952	1998	Yes	vr/r	BMNR	CK
Linaceae	<i>Linum marginale</i>	Wild Flax	N	SS			1975		Yes	r/r	BMNR	GW
Loranthaceae	<i>Amyema miquelii</i>	Box Mistletoe	N	M	GML	s/lc	1960	2009	Yes	s/lc	BMNR	DSF

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Loranthaceae	<i>Amyema pendula</i> subsp. <i>pendula</i>	Drooping Mistletoe	N	M	GML	w/c	1969	2009	Yes	s/lc	BMNR	DSF
Loranthaceae	<i>Muellerina eucalyptoides</i>	Creeping Mistletoe	N	M				2009	Yes	s/r	BMNR	DSF
Lythraceae	<i>Lythrum hyssopifolia</i>	Hyssop Loosestrife	N	SS	GML	s/lc	1964		Yes	s/lc	BMNR	CK
Malvaceae	<i>Brachychiton populneus</i> subsp. <i>populneus</i>	Kurrajong	NW	T				2009	Yes	s/r	BMNR	DSF
Malvaceae	<i>Gynatrix pulchella</i>	Hempbush	N	S	GML	r/nc	1972	2009	Yes	r/nc	BMNR	DSF
Malvaceae	<i>Lasiopetalum macrophyllum</i>	Shrubby Velvet Bush	NW	S				2009		vr/oc	BGS	DSF
Malvaceae	<i>Malva neglecta</i>	Dwarf mallow	E	F	GML	r/lc	1953		Yes	r/nc	BMNR	HD
Malvaceae	<i>Malva parviflora</i>	Small-flowered Mallow	E	F	GML	r/nc	1964				No	
Malvaceae	<i>Modiola caroliniana</i>	Red-flowered Mallow	E	F	GML	s/lc	1964		Yes	s/nc	BMNR	HD
Malvaceae	<i>Thomasia petalocalyx</i>	Paper Flower	NW	SS					Yes	vr/lc	BMNR	DSF
Myrtaceae	<i>Babbingtonia / Baeckia</i> sp.		NL	S				2009	Yes	vr/r	BMNR	HD
Myrtaceae	<i>Callistemon</i> sp. 1	A bottlebrush	NL	S					Yes	r/nc	BMNR	HD
Myrtaceae	<i>Callistemon</i> sp. 2	A bottlebrush	NL	S				2009	Yes	vr/r	BMNR	HD
Myrtaceae	<i>Callistemon</i> sp. 3	A bottlebrush	NL	S				2009	Yes	vr/r	BMNR	HD
Myrtaceae	<i>Calytrix tetragona</i>	Common Fringe Myrtle	N	S			1969	2006	Yes	r/lc	BMNR	DSF
Myrtaceae	<i>Darwinia citriodora</i>	Lemon-scented Darwinia	NL-NW	S				2004	Yes	r/nc	BGN	HD
Myrtaceae	<i>Eucalyptus albens</i>	White Box	NL	T				2009	Yes	vr/oc	BGS	HD
Myrtaceae	<i>Eucalyptus amplifolia</i> subsp. <i>amplifolia</i>	Cabbage Gum	NW	T				2009	Yes	vr/oc	BMNR	GW
Myrtaceae	<i>Eucalyptus blakelyi</i>	Blakely's Red Gum	N	T	GML	w/fc	1960	2009	Yes	s/c	BMNR	GW
Myrtaceae	<i>Eucalyptus bridgesiana</i>	Apple Box	N	T	GML	w/fc	1960	2009	Yes	s/c	BMNR	GW
Myrtaceae	<i>Eucalyptus cinerea</i>	Argyle Apple	NL	T				2009	Yes	r/r	BMNR	HD
Myrtaceae	<i>Eucalyptus dives</i>	Broad-leaved Peppermint	N	T	GML	w/c	1979	2009	Yes	s/lc	BMNR	DSF, GW

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Myrtaceae	<i>Eucalyptus globulus</i> subsp. <i>bicostata</i>	Eurabbie, Southern Bluegum	NL-NW	T				2009	Yes	r/r	BMNR	HD
Myrtaceae	<i>Eucalyptus macrorhyncha</i> subsp. <i>macrorhyncha</i>	Red Stringybark	N	T	GML	w/vc	1972	1992	Yes	w/vc	BMNR	DSF
Myrtaceae	<i>Eucalyptus mannifera</i> subsp. <i>mannifera</i>	Brittle Gum	N	T	GML	w/vc	1976	1996	Yes	w/vc	BMNR	DSF
Myrtaceae	<i>Eucalyptus melliodora</i>	Yellow Box	N	T	GML	w/fc	1969	1982	Yes	s/nc	BMNR	GW
Myrtaceae	<i>Eucalyptus polyanthemos</i> subsp. <i>polyanthemos</i>	Red Box	N	T	GML	s/lc	1970	1998	Yes	s/lc	BMNR	DSF, GW
Myrtaceae	<i>Eucalyptus rossii</i>	Inland Scribbly Gum, Scribbly Gum	N	T	GML	w/vc	1972	1996	Yes	w/vc	BMNR	DSF
Myrtaceae	<i>Eucalyptus rubida</i> subsp. <i>rubida</i>	Candlebark	N	T	GML	r/nc	1946	2000s		le	No	
Myrtaceae	<i>Eucalyptus sideroxylon</i> subsp. <i>sideroxylon</i>	An ironbark	NL	T				2009	Yes	r/r	BMNR	HD
Myrtaceae	<i>Eucalyptus viminalis</i> subsp. <i>viminalis</i>	Manna Gum, Ribbon Gum	NL-NW	T				2009	Yes	r/r	BMNR	HD
Myrtaceae	<i>Kunzea ambigua</i>	Tick Bush	NW	S					Yes	vr/lc	BMNR	HD
Myrtaceae	<i>Kunzea ericoides</i>	Burgan	N	S	GML	w/c	1970		Yes	w/lc	BMNR	GW, DSF
Myrtaceae	<i>Kunzea parvifolia</i>	Violet Kunzea	N	S	GML	vr/nc	1960s	2006	Yes	r/nc	BMNR	DSF
Myrtaceae	<i>Leptospermum brevipes</i>	Slender Teatree	NW	S					Yes	r/r	BMNR	DSF
Myrtaceae	<i>Leptospermum continentale</i>	Prickly Tea-tree	N	S	spec		1965	2011	Yes	s/lc	BMNR	GW
Myrtaceae	<i>Leptospermum laevigatum</i>	A teatree	NL	S				2009		r/oc	BMNR	HD
Myrtaceae	<i>Leptospermum multicaule</i>	Silver Teatree	N	S	GML	w/c	1976	2006	Yes	w/c	BMNR	DSF
Myrtaceae	<i>Leptospermum polygalifolium</i> subsp. <i>polygalifolium</i>	Tantoon	NL-NW	S					Yes	r/r	BMNR	HD
Myrtaceae	<i>Melaleuca armillaris</i> subsp. <i>armillaris</i>	Bracelet Honey Myrtle	NL-NW	S				1998	Yes	r/lc	BMNR	HD

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Myrtaceae	<i>Melaleuca parvistaminea</i>	Rough Paperbark	NL-NW	S				2010	Yes	r/lc	BMNR	HD, CK
Myrtaceae	<i>Micromyrtus ciliata</i>	Heath Myrtle	NL	S					Yes	r/nc	BMNR	HD
Oleaceae	<i>Fraxinus angustifolia</i> subsp. <i>angustifolia</i>	Desert Ash	E	T				2004	Yes	r/lc	BMNR	HD
Oleaceae	<i>Ligustrum sinense</i>	Chinese Privet	E	S	GML	vr/oc	1964	1988	Yes	r/r	BMNR	DSF
Oleaceae	<i>Olea</i> sp.	Olive	E	T					Yes	vr/oc	BMNR	DSF
Onagraceae	<i>Epilobium billardioreanum</i> subsp. <i>cinereum</i>	Variable Willowherb	N	F	GML	s/lc	1952		Yes	s/nc	BMNR	CK
Onagraceae	<i>Epilobium ciliatum</i>	Glandular Willowherb	E	F				1988			No	
Onagraceae	<i>Epilobium hirtigerum</i>	Hairy Willowherb	N	F					Yes	vr/oc	BMNR	CK
Onagraceae	<i>Oenothera lindheimeri</i>	Clockweed	E	F					Yes	vr/oc	BMNR	HD
Onagraceae	<i>Oenothera stricta</i> subsp. <i>stricta</i>	Evening Primrose	E	F	GML	r/lc	1959?				No	
Orobanchaceae	<i>Bellardia latifolia</i>	Red Bartsia	E	F	GML	s/lc	1964		Yes	r/nc	BMNR	CK
Orobanchaceae	<i>Orobanche minor</i>	Clover Broomrape, Lesser Broomrape	E	F	GML	r/lc	1969	1992	Yes	r/nc	BMNR	GW
Oxalidaceae	<i>Oxalis exilis</i>	Slender Oxalis	N	F	spec		1943	2002	Yes	s/lc	BMNR	GW
Oxalidaceae	<i>Oxalis perennans</i>	Native Oxalis	N	F	GML	w/c	1969		Yes	s/lc	BMNR	GW
Papaveraceae	<i>Argemone ochroleuca</i> subsp. <i>ochroleuca</i>	Mexican Poppy	E	F					Yes	vr/oc	BGS	HD
Papaveraceae	<i>Eschscholzia californica</i>	Californian Poppy	E	F	GML	R/lc	1960s				No	
Papaveraceae	<i>Fumaria bastardii</i>	Bastard's Fumitory	E	F				1998			No	
Papaveraceae	<i>Fumaria muralis</i> subsp. <i>muralis</i>	Wall Fumitory	E	F	GML	r/lc	1964		Yes	vr/r	BGN	HD
Papaveraceae	<i>Papaver dubium</i>	Long-headed Poppy	E	F	GML	R/lc	1965		Yes	vr/r	BGN	HD
Papaveraceae	<i>Papaver hybridum</i>	Rough Poppy	E	F	GML	s/nc	1964				No	
Papaveraceae	<i>Papaver rhoeas</i>	Field Poppy	E	F	GML	R/lc	1965				No	
Papaveraceae	<i>Papaver somniferum</i>	Opium Poppy	E	F	GML	R/lc	1965	1996			No	
Passifloraceae	<i>Passiflora cinnabarina</i>	Red Passionflower	NW	C				2009	Yes	r/uc	BMNR	DSF, CK

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Phrymaceae	<i>Limosella australis</i>	Mudwort	N	F	GML	s/lc	1964				No	
Phyllanthaceae	<i>Phyllanthus hirtellus</i>	Thyme Spurge	N	SS	GML	s/lc	1979	2010	Yes	s/lc	BMNR	DSF
Phyllanthaceae	<i>Poranthera microphylla</i>	Small Poranthera	N	F	GML	s/lc	1976	2011	Yes	s/lc	BMNR	DSF
Pittosporaceae	<i>Billardiera heterophylla</i>	Bluebell Creeper	NW	C				2009	Yes	s/lc	BMNR	DSF
Pittosporaceae	<i>Billardiera scandens</i>	Common Appleberry, Hairy Appleberry	N	C	GML	s/fc	1978	1998	Yes	s/nc	BMNR	DSF
Pittosporaceae	<i>Bursaria spinosa</i> subsp. <i>lasiophylla</i>	Australian Blackthorn	N	S	GML	w/c	1970	2009	Yes	s/lc	BMNR	DSF, GW
Pittosporaceae	<i>Rhytidosporum procumbens</i>	White Rhytidosporum	N	F	GML	s/nc	1978	1990	Yes	s/nc	BMNR	DSF
Plantaginaceae	<i>Linaria pelisseriana</i>	Pelisser's Toadflax	E	F	GML	s/lc	1975		Yes	r/lc	BMNR	GW
Plantaginaceae	<i>Plantago lanceolata</i>	Ribwort	E	F	GML	w/fc	1935		Yes	s/nc	BMNR	GW
Plantaginaceae	<i>Plantago varia</i>	Variable Plantain	N	F	GML	w/c	1969		Yes	s/nc	BMNR	GW
Plantaginaceae	<i>Veronica arvensis</i>	Wall Speedwell	E	F	GML	s/lc	1964		Yes	s/lc	BMNR	CK, DSF
Plantaginaceae	<i>Veronica calycina</i>	Forest Speedwell	N	F	GML	r/nc	1964		Yes	s/r	BMNR	DSF
Plantaginaceae	<i>Veronica derwentiana</i> subsp. <i>derwentiana</i>	Derwent Speedwell	N	SS	spec		1938				No	
Plantaginaceae	<i>Veronica peregrina</i> subsp. <i>xalapensis</i>	Wandering Speedwell	E	F	GML	s/lc	1960s				No	
Plantaginaceae	<i>Veronica perfoliata</i>	Blue Veronica; Digger's Speedwell	N	SS	GML	r/r	1970		Yes	s/lc	BMNR	DSF
Plantaginaceae	<i>Veronica persica</i>	Creeping Speedwell	E	F	GML	R/nc	1960s		Yes	r/r	BMNR	CK
Polygalaceae	<i>Comesperma volubile</i>	Lovecreeper	N	C			1970	1993	Yes	vr/r	BMNR	DSF
Polygonaceae	<i>Acetosella vulgaris</i>	Sheep Sorrel	E	F	GML	w/fc	1975	1998	Yes	s/lc	BMNR	GW
Polygonaceae	<i>Persicaria hydropiper</i>	Water Pepper	E	F	GML	r/lc	1962		Yes	r/r	BMNR	CK
Polygonaceae	<i>Persicaria prostrata</i>	Creeping Knotweed	N	F	GML	s/lc	1962		Yes	s/lc	BMNR	GW
Polygonaceae	<i>Polygonum aviculare</i>	Wireweed	E	F	GML	s/lc	1964		Yes	r/r	BMNR	GW
Polygonaceae	<i>Rumex brownii</i>	Swamp Dock	N	F	GML	s/c	1969		Yes	r/r	BMNR	GW
Polygonaceae	<i>Rumex conglomeratus</i>	Clustered Dock	E	F	GML	R/r	1965				No	
Polygonaceae	<i>Rumex crispus</i>	Curled Dock	E	F	GML	s/lc	1971		Yes	r/r	BMNR	HD
Polygonaceae	<i>Rumex dumosus</i>	Wiry Dock	N	F	GML	s/nc	1960s				No	

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Primulaceae	<i>Lysimachia arvensis</i>	Scarlet Pimpernel	E	F	GML	s/nc	1964		Yes	s/nc	BMNR	CK
Proteaceae	<i>Banksia marginata</i>	Silver Banksia	NL	S					Yes	vr/oc	BMNR	HD
Proteaceae	<i>Grevillea alpina</i>	Mountain Grevillea	N	S	GML	w/c	1979	1998	Yes	w/c	BMNR	DSF
Proteaceae	<i>Grevillea arenaria</i> subsp. <i>arenaria</i>	Sand Grevillea	NL-NW	S					Yes	vr/r	BGN	HD
Proteaceae	<i>Grevillea juniperina</i> cultivar 1	A prickly spiderflower	NL-NW	S					Yes	vr/r	BGN	HD
Proteaceae	<i>Grevillea juniperina</i> cultivar 2	A prickly spiderflower	NL-NW	S					Yes	vr/r	BGN	HD
Proteaceae	<i>Grevillea juniperina</i> subsp. <i>sulphurea</i>	Grevillea	NL-NW	S				2009	Yes	r/nc	BMNR	HD
Proteaceae	<i>Grevillea patulifolia</i>	White Spiderflower	NW	S					Yes	vr/oc	BGS	HD
Proteaceae	<i>Grevillea ramosissima</i> subsp. <i>ramosissima</i>	Fan Grevillea	N	S				2009	Yes	vr/lc	BGS	DSF
Proteaceae	<i>Grevillea rosmarinifolia</i> cultivar 1		NW	S					Yes	vr/r	BGN	HD
Proteaceae	<i>Grevillea rosmarinifolia</i> subsp. <i>rosmarinifolia</i>	Rosemary Grevillea	NW-NL	S				2009	Yes	s/nc	BMNR	DSF
Proteaceae	<i>Grevillea</i> sp. 'pinnate leaf'		NW	S					Yes	vr/r	BGN	HD
Proteaceae	<i>Hakea decurrens</i> subsp. <i>decurrens</i>	Bushy Needlewood	N	S	GML	r/lc	1979	1986	Yes	s/lc	BMNR	DSF
Proteaceae	<i>Hakea eriantha</i>	Tree Hakea	NL-NW	S				2009	Yes	r/lc	BMNR	HD, DSF
Proteaceae	<i>Hakea microcarpa</i>	Jaradinty, Small-fruited Hakea	N	S	spec		1949				No	
Proteaceae	<i>Hakea salicifolia</i> subsp. <i>salicifolia</i>	Willow-leaved Hakea	NL-NW	S				2009	Yes	r/lc	BMNR	HD
Proteaceae	<i>Hakea sericea</i>	Needlebush	NL-NW	S					Yes	vr/lc	BMNR	HD
Proteaceae	<i>Lomatia myricoides</i>	River Lomatia	NW	S					Yes	vr/oc	BMNR	CK
Proteaceae	<i>Persoonia linearis</i>	A geebung	NW	S				2009	Yes	vr/oc	BGS	DSF
Proteaceae	<i>Persoonia rigida</i>	Rigid Geebung	N	S	GML	s/nc	1975	1988	Yes	s/nc	BMNR	DSF

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Ranunculaceae	<i>Clematis leptophylla</i>	Small-leaved Clematis	N	C	GML	s/nc	1973	2009	Yes	s/nc	BMNR	DSF, CK
Ranunculaceae	<i>Ranunculus lappaceus</i>	Australian Buttercup	N	F	GML	s/fc	1969		Yes	r/nc	BMNR	DSF
Ranunculaceae	<i>Ranunculus pumilio</i> var. <i>pumilio</i>	Small-flowered Buttercup	N	F	GML	s/lc	1964		Yes	r/lc	BMNR	CK
Ranunculaceae	<i>Ranunculus sessiliflorus</i> var. <i>sessiliflorus</i>	Small-flowered Australian Buttercup	N	F	GML	s/nc	1964		Yes	r/nc	BMNR	GW, DSF
Rhamnaceae	<i>Cryptandra amara</i>	Pretty Cryptandra, Sweet Cryptandra	N	SS	GML	s/lc	1975	2009	Yes	s/nc	BMNR	DSF
Rhamnaceae	<i>Cryptandra</i> sp. Floriferous (W.R.Barker 4131)	Many-flowered Bitter Cryptandra	N	SS	GML	s/nc	1975	1995	Yes	r/nc	BMNR	DSF
Rhamnaceae	<i>Pomaderris andromedifolia</i> subsp. <i>confusa</i>	Yellow Pomaderris	N	S			1980		Yes	r/lc	BMNR	DSF
Rhamnaceae	<i>Pomaderris angustifolia</i>	Narrow-leaved Pomaderris	U	S					Yes	vr/r	BMNR	DSF
Rhamnaceae	<i>Pomaderris betulina</i> subsp. <i>actensis</i>	A pomaderris	N	S				2009	Yes	r/lc	BMNR	DSF
Rhamnaceae	<i>Pomaderris discolor</i>		U	S					Yes	vr/oc	BMNR	DSF
Rhamnaceae	<i>Pomaderris eriocephala</i>	Woolly-headed Pomaderris	N	S				2009	Yes	vr/oc	BMNR	DSF
Rhamnaceae	<i>Pomaderris intermedia</i>	Golden Pomaderris	N	S	GML	s/lc	1975	2011	Yes	s/lc	BMNR	DSF
Rosaceae	<i>Acaena echinata</i>	Sheep's Burr	N	F					Yes	r/nc	BMNR	HD
Rosaceae	<i>Acaena novae-zelandiae</i>	Biddy-biddy, Bidgee Widgee	N	F	GML	s/lc	1969	2011	Yes	s/nc	BMNR	DSF
Rosaceae	<i>Acaena ovina</i>	Sheep's Burr	N	F	GML	w/fc	1969		Yes	r/nc	BMNR	GW
Rosaceae	<i>Aphanes arvensis</i>	Parsley Piert	E	F	GML	s/lc	1949				No	
Rosaceae	<i>Aphanes australiana</i>	Australian Aphanes	N	F	GML	s/lc	1964		Yes	r/r	BMNR	GW
Rosaceae	<i>Cotoneaster glaucophyllus</i>	Large-leaved Cotoneaster	E	S				2009	Yes	r/r	BMNR	HD
Rosaceae	<i>Cotoneaster rotundifolius</i>	A cotoneaster	E	S	GML	r/nc	1964	2009	Yes	r/r	BMNR	HD

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Rosaceae	<i>Crataegus monogyna</i>	Hawthorn	E	S	GML	r/nc	1975	2009	Yes	s/nc	BMNR	HD, DSF
Rosaceae	<i>Malus domestica</i>	Apple	E	T	GML	r/nc	1962	2009		vr/r	BMNR	DSF
Rosaceae	<i>Photinia serratifolia</i>	Photinia	E	S				1990	Yes	r/r	BMNR	DSF
Rosaceae	<i>Prunus cerasifera</i>	Cherry Plum	E	T				2009	Yes	r/r	BMNR	HD
Rosaceae	<i>Pyracantha angustifolia</i>	Orange Firethorn	E	S				2009	Yes	r/lc	BMNR	HD, DSF
Rosaceae	<i>Pyracantha crenulata</i>	Nepal Firethorn	E	S	GML	vr/r	1960s	2009	Yes	vr/r	BGS	HD
Rosaceae	<i>Pyracantha fortuneana</i>	Red Firethorn	E	S	GML	vr/r	1960s	2009	Yes	vr/r	BGS	HD
Rosaceae	<i>Pyracantha</i> sp.	A firethorn	E	S				2009	Yes	vr/nc	BMNR	DSF
Rosaceae	<i>Rosa rubiginosa</i>	Sweet Briar	E	S	GML	s/lc	1963	2009	Yes	s/lc	BMNR	GW, DSF
Rosaceae	<i>Rubus anglocandicans</i>	Blackberry	E	S	GML	r/lc	1960s	2009		s/lc	BMNR	GW, CK
Rosaceae	<i>Rubus loganobaccus</i>	Loganberry	E	S	GML	vr/lc	1960				No	
Rosaceae	<i>Rubus parvifolius</i>	Native Raspberry	N	S	spec		1953	2009	Yes	s/nc	BMNR	GW
Rosaceae	<i>Sanguisorba minor</i>	Sheep's Burnet	E	F	GML	s/nc	1960s	1998	Yes	s/nc	BMNR	HD
Rosaceae	<i>Sorbus domestica</i>	Service Tree	E	S				1990	Yes	r/r	BMNR	DSF
Rubiaceae	<i>Asperula conferta</i>	Common Woodruff	N	F	GML	w/fc	1965	Yes	Yes	r/lc	BMNR	GW
Rubiaceae	<i>Galium aparine</i>	Cleavers	E	F	GML	R/nc	1965		Yes	r/lc	BMNR	DSF
Rubiaceae	<i>Galium divaricatum</i>	Slender Bedstraw	E	F	GML	s/lc	1960s		Yes	r/lc	BMNR	GW
Rubiaceae	<i>Galium gaudichaudii</i> subsp. <i>gaudichaudii</i>	Rough Bedstraw	N	F	GML	s/lc	1969		Yes	s/nc	BMNR	DSF
Rubiaceae	<i>Galium murale</i>	Small Bedstraw	E	F	GML	s/lc	1964		Yes	r/lc	BMNR	DSF
Rubiaceae	<i>Opercularia hispida</i>	Hairy Stinkweed	N	F	GML	s/nc	1962		Yes	s/r	BMNR	DSF, CK
Rubiaceae	<i>Pomax umbellata</i>	Pomax	N	SS	GML	s/nc	1975	2012	Yes	s/lc	BMNR	DSF
Rubiaceae	<i>Sherardia arvensis</i>	Field Madder	E	F	GML	s/lc	1959		Yes	r/nc	BMNR	CK
Rutaceae	<i>Coleonema pulchellum</i>	Diosma	E	S					Yes	vr/oc	BMNR	HD
Rutaceae	<i>Correa glabra</i> var. <i>glabra</i>	Rock Correa	NW	S					Yes	vr/oc	BMNR	GW
Rutaceae	<i>Correa lawrenceana</i> var. <i>cordifolia</i>	A correa	NL	S				2009	Yes	vr/oc	BMNR	HD

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Rutaceae	<i>Correa reflexa</i> var. <i>reflexa</i>	Common Correa	NL	S				2009	Yes	vr/r	BMNR	HD
Rutaceae	<i>Correa reflexa</i> var. <i>speciosa</i>	A correa	NL-NW	S				2009	Yes	vr/oc	BMNR	HD
Santalaceae	<i>Choretrum pauciflorum</i>	Dwarf Sourbush, Sourbush	N	S	GML	r/nc	1963	2009	Yes	s/nc	BMNR	DSF
Santalaceae	<i>Exocarpos cupressiformis</i>	Native Cherry; Cherry Ballart	N	T	GML	w/c	1975		Yes	w/c	BMNR	DSF
Santalaceae	<i>Exocarpos strictus</i>	Dwarf Cherry, Pale Ballart	N	S	GML	vr/r	1964		Yes	vr/r	BMNR	DSF
Santalaceae	<i>Omphacomeria acerba</i>	Leafless Sourbush; Sourbush	N	S	GML	r/lc	1978	1999	Yes	s/nc	BMNR	DSF
Sapindaceae	<i>Dodonaea triangularis</i>	Triangle-leaved Hopbush	NW	S					Yes	vr/lc	BGN	DSF
Sapindaceae	<i>Dodonaea viscosa</i> subsp. <i>angustissima</i>	Narrow-leaved Hopbush	NL	S				2009	Yes	vr/r	BMNR	DSF
Sapindaceae	<i>Dodonaea viscosa</i> subsp. <i>spatulata</i>	Broad-leaved Hopbush	N	S	GML	s/fc	1969	2006	Yes	s/fc	BMNR	DSF
Scrophulariaceae	<i>Buddleja davidii</i>	Butterfly Bush	E	S					Yes	vr/oc	BGN	HD
Scrophulariaceae	<i>Myoporum montanum</i>	Western Boobialla, Water Bush	NL	T				2009		vr/oc	BMNR	HD
Scrophulariaceae	<i>Verbascum thapsus</i> subsp. <i>thapsus</i>	Great Mullein	E	F	GML	s/lc	1969		Yes	s/lc	BMNR	GW
Scrophulariaceae	<i>Verbascum virgatum</i>	Twiggy Mullein	E	F	GML	s/lc	1969		Yes	s/lc	BMNR	GW
Solanaceae	<i>Datura stramonium</i>	Common Thornapple	E	F	GML	r/nc	1960s		Yes	r/nc	BMNR	HD
Solanaceae	<i>Lycium ferocissimum</i>	African Boxthorn	E	S	GML	r/nc	1967	2009	Yes	r/nc	BMNR	DSF
Solanaceae	<i>Petunia × atkinsiana</i>	Garden Petunia	E	F				2011		vr/oc	BMNR	HD
Solanaceae	<i>Physalis hederifolia</i>	Sticky Cape Gooseberry, Sticky Ground Cherry	E	F					Yes	vr/lc	BGS	HD
Solanaceae	<i>Solanum brownii</i>	Violet Nightshade	NW	S					Yes	vr/r	BGS	HD
Solanaceae	<i>Solanum linearifolium</i>	Mountain Kangaroo Apple	N	S				1993	Yes	s/nc	BMNR	DSF

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Solanaceae	<i>Solanum nigrum</i>	Blackberry Nightshade	E	F	GML	s/lc	1962		Yes	s/nc	BMNR	DSF
Solanaceae	<i>Solanum triflorum</i>	Three-flowered Nightshade	E	F	GML	s/lc	1961		Yes	r/nc	BMNR	DSF
Stylidiaceae	<i>Stylidium despectum</i>	Small Triggerplant	N	F	GML	s/lc	1978		Yes	r/lc	BMNR	CK
Stylidiaceae	<i>Stylidium graminifolium</i>	Grass Triggerplant	N	Gr	GML	s/c	1975	1986	Yes	w/c	BMNR	DSF
Thymelaeaceae	<i>Pimelea curviflora</i> var. <i>sericea</i>	Curved Riceflower	N	SS	GML	s/lc	1969	2005	Yes	s/lc	BMNR	GW
Thymelaeaceae	<i>Pimelea glauca</i>	Smooth Riceflower	N	S	spec		1949				No	
Thymelaeaceae	<i>Pimelea linifolia</i> subsp. <i>linifolia</i>	Slender Rice Flower	N	S	GML	s/lc	1975	1993	Yes	s/nc	BMNR	DSF
Ulmaceae	<i>Ulmus minor</i>	Elm	E	T				2009	Yes	vr/r	BMNR	DSF
Unknown	Unknown deciduous tree		E	T				2009	Yes	r/r	BMNR	DSF
Verbenaceae	<i>Verbena incompta</i>	Purple-top	E	F					Yes	r/lc	BMNR	HD
Verbenaceae	<i>Verbena quadrangularis</i>	A verbena	E	F					Yes	r/lc	BMNR	HD
Violaceae	<i>Melicytus angustifolius</i> subsp. <i>divaricatus</i>	Treeviolet	NW	S					Yes	vr/oc	BGN	HD
Violaceae	<i>Viola betonicifolia</i> subsp. <i>betonicifolia</i>	Showy Violet; Mountain Violet	N	F	GML	s/lc	1964	2012	Yes	vr/r	BMNR	CK
Violaceae	<i>Viola caleyana</i>	Swamp Violet	U	F			1972				No	
Violaceae	<i>Viola odorata</i>	Common Violet	E	F				1990	Yes	r/r	BMNR	CK
Vitaceae	<i>Vitis vinifera</i>	Grapevine	E	C					Yes	r/r	BGN	CK
Winteraceae	<i>Tasmannia lanceolata</i>	Mountain Pepper	NW	S					Yes	r/r	BGS	DSF
MONOCOTYLEDONS												
Asparagaceae	<i>Arthropodium fimbriatum</i>	Nodding Chocolate Lily	N	Gr	GML	s/lc	1973	2010	Yes	s/lc	BMNR	GW
Asparagaceae	<i>Arthropodium milleflorum</i>	Pale Vanilla Lily, Vanilla Lily	N	Gr	GML	s/lc	1960s		Yes	vr/oc	BMNR	GW
Asparagaceae	<i>Laxmannia gracilis</i>	Wire Lily	N	Gr	GML	r/nc	1962	2012	Yes	r/lc	BMNR	GW
Asparagaceae	<i>Lomandra filiformis</i> subsp. <i>coriacea</i>	Wattle Matrush	N	Gr	GML	s/lc	1969	2003	Yes	s/lc	BMNR	GW
Asparagaceae	<i>Lomandra filiformis</i> subsp. <i>filiformis</i>	Wattle Matrush	N	Gr	GML	s/lc	1961	2003	Yes	s/lc	BMNR	DSF, CK

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Asparagaceae	<i>Lomandra longifolia</i>	Long-leaved Matrush	N	Gr	GML	w/lc	1975	2004	Yes	w/lc	BMNR	DSF
Asparagaceae	<i>Lomandra multiflora</i> subsp. <i>multiflora</i>	Many-flowered Matrush	N	Gr	GML	s/lc	1975	2003	Yes	s/lc	BMNR	DSF
Asparagaceae	<i>Thysanotus patersonii</i>	Twining Fringed Lily	N	Gr	GML	r/nc	1969	2010	Yes	s/nc	BMNR	DSF
Asparagaceae	<i>Thysanotus tuberosus</i> subsp. <i>tuberosus</i>	Fringed Lily	N	Gr	GML	s/lc	1969	2010	Yes	s/nc	BMNR	DSF, GW
Asphodelaceae	<i>Bulbine bulbosa</i>	Bulbine Lily	N	Gr	GML	s/lc	1961	2011	Yes	s/lc	BMNR	GW
Asphodelaceae	<i>Bulbine glauca</i>	Rock Lily	N	Gr					Yes	r/nc	BMNR	DSF
Centrolepidaceae	<i>Centrolepis strigosa</i> subsp. <i>strigosa</i>	Hairy Centrolepis	N	Gr	GML	r/r	1978		Yes	r/lc	BMNR	CK
Colchicaceae	<i>Burchardia umbellata</i>	Milkmaids	N	Gr	GML	r/lc	1964				No	
Colchicaceae	<i>Wurmbea dioica</i> subsp. <i>dioica</i>	Early Nancy	N	Gr	GML	s/lc	1968		Yes	s/lc	BMNR	DSF, GW
Cyperaceae	<i>Carex appressa</i>	Tussock Sedge, Tall Tassel Sedge	N	Gr	GML	r/lc	1964		Yes	r/lc	BMNR	CK
Cyperaceae	<i>Carex breviculmis</i>	Short-stemmed Sedge	N	Gr	GML	w/fc	1964	2010		vr/oc	BMNR	?
Cyperaceae	<i>Carex inversa</i>	Knob Sedge	N	Gr	GML	s/fc	1964	2011	Yes	r/nc	BMNR	GW
Cyperaceae	<i>Cyperus eragrostis</i>	Umbrella Sedge	E	Gr	GML	r/lc	1962		Yes	r/lc	BMNR	CK
Cyperaceae	<i>Cyperus sanguinolentus</i>	Dark Flatsedge	N	Gr	GML	r/lc	1961		Yes	r/lc	BMNR	CK
Cyperaceae	<i>Cyperus sphaeroideus</i>	Kyllinga Weed	N	Gr	spec		1953		Yes	r/lc	BMNR	CK
Cyperaceae	<i>Eleocharis acuta</i>	Common Spikerush	N	A	GML	w/fc	1949	1982	Yes	r/c	BMNR	D
Cyperaceae	<i>Eleocharis atricha</i>	Tuber Spikerush	N	Gr	GML	r/lc	1952		Yes	r/vc	BMNR	CK
Cyperaceae	<i>Isolepis gaudichaudiana</i>	Benambra Clubsedge	N	Gr	GML	s/lc	1964	2009	Yes	r/lc	BMNR	CK
Cyperaceae	<i>Isolepis levysiana</i>	Tiny Flatsedge	E	Gr	GML	r/lc	1973?		Yes	s/lc	BMNR	CK
Cyperaceae	<i>Isolepis marginata</i>	Little Clubsedge	E	Gr	GML	s/lc	1964	1995			No	
Cyperaceae	<i>Isolepis multicaulis</i>	Grassy Clubsedge	N	Gr	GML	s/lc	1964	1982	Yes	r/lc	BMNR	CK
Cyperaceae	<i>Isolepis platycarpa</i>	Flatfruit Clubsedge	N	Gr	GML	r/nc	1949				No	
Cyperaceae	<i>Isolepis subtilissima</i>	Dwarf Clubsedge	N	Gr	GML	r/nc	1953				No	
Cyperaceae	<i>Lepidosperma gunnii</i>	Narrow Swordsedge, Little Swordsedge	N	Gr	GML	r/lc	1975		Yes	s/fc	BMNR	DSF

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Cyperaceae	<i>Lepidosperma laterale</i>	Variable Swordsedge	N	Gr	GML	s/lc	1976		Yes	s/lc	BMNR	DSF
Cyperaceae	<i>Schoenus apogon</i> var. <i>apogon</i>	Fluke Bogsedge, Common Bogsedge	N	Gr	GML	w/lc	1969	2009	Yes	s/lc	BMNR	GW, CK
Cyperaceae	<i>Schoenus latelaminatus</i>	Medusa Bogsedge	N	Gr	GML	r/lc	1953				No	
Eriocaulaceae	<i>Eriocaulon scariosum</i>	Rough Pipewort	N	Gr				1984	Yes	r/lc	BMNR	CK
Hemerocallidaceae	<i>Caesia calliantha</i>	Blue Grass Lily	N	Gr	GML	r/nc	1971		Yes	r/nc	BMNR	DSF
Hemerocallidaceae	<i>Dianella longifolia</i> var. <i>longifolia</i>	Smooth Flax Lily	N	Gr				2011		vr/oc	BMNR	DSF
Hemerocallidaceae	<i>Dianella revoluta</i> var. <i>revoluta</i>	Spreading Flax Lily	N	Gr	GML	s/lc	1969	1998	Yes	s/lc	BMNR	DSF
Hemerocallidaceae	<i>Stypandra glauca</i>	Nodding Blue Lily	N	Gr	GML	s/lc	1975	2006	Yes	s/nc	BMNR	DSF
Hemerocallidaceae	<i>Tricoryne elatior</i>	Yellow Rush Lily	N	Gr	GML	w/lc	1969	1995	Yes	s/lc	BMNR	GW
Hypoxidaceae	<i>Hypoxis hygrometrica</i> var. <i>villosisepala</i>	Golden Weather-glass, Golden Star	N	Gr	GML	s/lc	1953		Yes	r/nc	BMNR	CK
Iridaceae	<i>Romulea rosea</i> var. <i>australis</i>	Onion Grass	E	Gr					Yes	s/lc	BMNR	HD
Iridaceae	<i>Sisyrinchium rosulatum</i>	Scourweed	E	Gr	GML	r/nc	1961		Yes	s/nc	BMNR	CK
Juncaceae	<i>Juncus articulatus</i>	Jointed Rush	E	Gr	GML	s/lc	1956		Yes	s/nc	BMNR	CK
Juncaceae	<i>Juncus australis</i>	Australian Rush	N	Gr	GML	w/fc	1964		Yes	s/nc	BMNR	CK
Juncaceae	<i>Juncus bufonius</i>	Toad Rush	N	Gr	GML	w/c	1980		Yes	s/lc	BMNR	CK, GW
Juncaceae	<i>Juncus capitatus</i>	Dwarf Rush	E	Gr	GML	s/lc	1964	1995	Yes	s/lc	BMNR	CK
Juncaceae	<i>Juncus filicaulis</i>	Thread Rush	N	Gr	GML	s/lc	1960s				No	
Juncaceae	<i>Juncus fockei</i>	Slender-jointed Rush	N	Gr	GML	r/nc	1960s	2009		vr/oc	BMNR	D
Juncaceae	<i>Juncus holoschoenus</i>	Joint-leaved Rush	N	Gr	GML	r/nc	1960s		Yes	r/r	BMNR	CK
Juncaceae	<i>Juncus homalocaulis</i>	Wiry Rush	N	Gr	GML	s/lc	1960s		Yes	r/r	BMNR	CK
Juncaceae	<i>Juncus planifolius</i>	Broad-leaved Rush	N	Gr	GML	r/nc	1975	2009	Yes	r/nc	BMNR	CK
Juncaceae	<i>Juncus remotiflorus</i>	Diffuse Rush	N	Gr	spec		1969		Yes	r/lc	BMNR	CK
Juncaceae	<i>Juncus subsecundus</i>	Finger Rush	N	Gr	GML	s/lc	1969		Yes	r/nc	BMNR	CK
Juncaceae	<i>Juncus vaginatus</i>	Clustered Rush	N	Gr	GML	s/lc	1962		Yes	s/nc	BMNR	CK

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Juncaceae	<i>Luzula densiflora</i>	Woodrush	N	Gr	spec		1978	1995	Yes	s/nc	BMNR	GW, CK, DSF
Juncaceae	<i>Luzula flaccida</i>	Pale Woodrush	N	Gr	spec		1975				No	
Juncaceae	<i>Luzula meridionalis</i>	Field Woodrush	N	Gr	spec		1975				No	
Juncaceae	<i>Luzula ovata</i>	A woodrush	N	Gr				1988	Yes	s/nc	BMNR	GW, CK
Orchidaceae	<i>Acianthus collinus</i>	Hooded Mosquito Orchid	N	Gr				2006	Yes	r/r-lc	BMNR	DSF
Orchidaceae	<i>Acianthus exsertus</i>	Large Mosquito Orchid	N	Gr	GML	r/lc	1971	1999	Yes	s/lc	BMNR	DSF
Orchidaceae	<i>Bunochilus umbrinus</i>	Broad-sepaled Leafy Greenhood	N	Gr	GML	r/lc	1975	1990	Yes	r/nc	BMNR	DSF, CK
Orchidaceae	<i>Caladenia atrovvespa</i>	Thin-clubbed Mantis Orchid	N	Gr	GML	w/fc	1973	2005	Yes	w/nc	BMNR	DSF, GW
Orchidaceae	<i>Caladenia caerulea</i>	Blue Caladenia	N	Gr	GML	r/lc	1978	2001	Yes	w/c	BMNR	DSF, GW
Orchidaceae	<i>Caladenia carnea</i>	Pink Fingers	N	Gr	GML	w/c	1963		Yes	s/nc	BMNR	DSF, GW
Orchidaceae	<i>Caladenia congesta</i>	Pink Caps	N	Gr	GML	r/nc	1979	1998	Yes	r/nc	BMNR	DSF, CK
Orchidaceae	<i>Caladenia cucullata</i>	Lemon Caps	N	Gr	GML	w/c	1964	1992	Yes	w/c	BMNR	DSF
Orchidaceae	<i>Caladenia filamentosa</i>	Daddy Long-legs	N	Gr			1975				No	
Orchidaceae	<i>Caladenia fuscata</i>	Dusky Fingers	N	Gr			1975	2001	Yes	w/fc	BMNR	DSF, GW
Orchidaceae	<i>Caladenia major</i>	Wax-lipped Orchid	N	Gr	GML	w/c	1975	2001	Yes	w/fc	BMNR	DSF, GW
Orchidaceae	<i>Caladenia mentiens</i>	Lesser Fingers	N	Gr				1999	Yes	vr/r	BMNR	CK
Orchidaceae	<i>Caladenia moschata</i>	Musky Caps	N	Gr	GML	w/c	1978	2001	Yes	w/c	BMNR	DSF
Orchidaceae	<i>Caladenia ustulata</i>	Brown Caps	N	Gr	GML	w/fc	1975	2005	Yes	w/c	BMNR	DSF
Orchidaceae	<i>Caleana minor</i>	Small Duck Orchid	N	Gr				2008	Yes	s/nc	BMNR	DSF
Orchidaceae	<i>Calochilus montanus</i>	Mountain Bearded Orchid	N	Gr	GML	r/r	1961	2002	Yes	r/nc	BMNR	DSF

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Orchidaceae	<i>Calochilus paludosus</i>	Beard Orchid	N	Gr				1992	Yes	vr/r	BMNR	DSF
Orchidaceae	<i>Calochilus platyphilus</i>	Purple Beard Orchid	N	Gr	GML	s/lc	1975	2003	Yes	w/lc	BMNR	DSF
Orchidaceae	<i>Calochilus therophilus</i>	Late Beard Orchid	N	Gr				1994	Yes	r/r	BMNR	DSF
Orchidaceae	<i>Chiloglottis seminuda</i>	Bare-tipped Wasp Orchid	N	Gr					Yes	vr/r	BGS	CK
Orchidaceae	<i>Chiloglottis trapeziformis</i>	Diamond Ant Orchid	N	Gr	GML	r/r	1964	1991	Yes	r/lc	BMNR	CK
Orchidaceae	<i>Chiloglottis trilabra</i>	Long-clubbed Wasp Orchid	N	Gr	GML	r/lc	1963	1992	Yes	r/lc	BMNR	DSF
Orchidaceae	<i>Chiloglottis valida</i>	Large Bird Orchid	N	Gr			1969	1991	Yes	r/nc	BMNR	DSF, CK
Orchidaceae	<i>Corunastylis clivicola</i>	Rufous Midge Orchid	N	Gr	GML	r/nc	1972	2001	Yes	w/nc	BMNR	DSF
Orchidaceae	<i>Corunastylis cornuta</i>	Horned Midge Orchid	N	Gr	GML	not given	1960s	2002	Yes	r/nc	BMNR	DSF
Orchidaceae	<i>Corysanthes hispida</i>	Bristly Helmet Orchid	N	Gr				1993	Yes	vr/lc	BMNR	CK
Orchidaceae	<i>Corysanthes incurva</i>	Slaty Helmet Orchid	N	Gr	GML	r/lc	1964	2012	Yes	vr/lc	BMNR	CK
Orchidaceae	<i>Cyrtostylis reniformis</i>	Common Gnat Orchid	N	Gr	GML	s/lc	1964	2012	Yes	r/lc	BMNR	DSF, CK
Orchidaceae	<i>Diplodium revolutum</i>	A greenhood	N	Gr	GML	r/lc	1969	2002	Yes	s/lc	BMNR	DSF
Orchidaceae	<i>Diplodium truncatum</i>	Little Dumpies	N	Gr	GML	r/r	1959		Yes	r/nc	BMNR	DSF
Orchidaceae	<i>Dipodium roseum</i>	Rosy Hyacinth Orchid	N	Gr			1975	1991	Yes	r/r	BMNR	DSF, CK
Orchidaceae	<i>Diuris chryseopsis</i>	Golden Moths	N	Gr	GML	s/lc	1964		Yes	r/r	BMNR	GW
Orchidaceae	<i>Diuris nigromontana</i>	Black Mountain Leopard Orchid	N	Gr	GML	w/c	1976	2011	Yes	w/lc	BMNR	DSF, GW
Orchidaceae	<i>Diuris pardina</i>	Leopard Doubletail	N	Gr					Yes	r/r	BMNR	DSF
Orchidaceae	<i>Diuris semilunulata</i>	Late Leopard Orchid	N	Gr				2003	Yes	r/r	BMNR	DSF
Orchidaceae	<i>Diuris sulphurea</i>	Hornet Orchid	N	Gr	GML	w/c	1978	2012	Yes	w/lc	BMNR	DSF, GW
Orchidaceae	<i>Eriochilus cucullatus</i>	Parson's Bands	N	Gr	GML	s/nc	1976	2012	Yes	s/nc	BMNR	DSF, GW
Orchidaceae	<i>Gastrodia sesamoides</i>	Cinnamon Bells	N	Gr				2005		vr/oc	No	

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Orchidaceae	<i>Hymenochilus bicolor</i>	Black-tipped Greenhood	N	Gr				2003	Yes	r/nc	BMNR	GW
Orchidaceae	<i>Hymenochilus cycnocephalus</i>	Swan Greenhood	N	Gr	GML	s/lc	1964	2005	Yes	r/lc	BMNR	GW
Orchidaceae	<i>Hymenochilus muticus</i>	Midget Greenhood	N	Gr			1969		Yes	r/r	BMNR	CK
Orchidaceae	<i>Linguella nana</i>	Dwarf Greenhood	N	Gr					Yes	vr/r	BMNR	DSF
Orchidaceae	<i>Lyperanthus suaveolens</i>	Brown Beaks	N	Gr	GML	not given	1978	2001	Yes	r/r	BMNR	DSF
Orchidaceae	<i>Microtis arenaria</i>	Common Onion Orchid	N	Gr	GML	s/lc	1964		Yes	s/lc	BMNR	DSF
Orchidaceae	<i>Microtis parviflora</i>	Slender Onion Orchid	N	Gr	GML	s/lc	1969	1988	Yes	r/lc	BMNR	DSF, GW
Orchidaceae	<i>Oligochaetochilus aciculiformis</i>	Needle-point Rustyhood	N	Gr	GML	r/nc	1962	1989	Yes	r/nc	BMNR	DSF
Orchidaceae	<i>Orthoceras strictum</i>	Horned Orchid	N	Gr				2011	Yes	vr/r	BMNR	DSF
Orchidaceae	<i>Prasophyllum brevilabre</i>	Short-lipped Leek Orchid	N	Gr	GML	r/nc	1966	1991	Yes	r/lc	BMNR	DSF
Orchidaceae	<i>Pterostylis nutans</i>	Nodding Greenhood	N	Gr	GML	r/lc	1975	1990	Yes	w/c	BMNR	DSF, CK
Orchidaceae	<i>Pterostylis pedunculata</i>	Maroonhood	N	Gr				2006	Yes	r/nc	BMNR	CK
Orchidaceae	<i>Speculantha rubescens</i>	Blushing Tiny Greenhood	N	Gr	GML	s/nc	1975	2003	Yes	s/lc	BMNR	DSF
Orchidaceae	<i>Thelymitra arenaria</i>	Forest Sun Orchid	N	Gr	spec		1953	2003		r/r	No	
Orchidaceae	<i>Thelymitra brevifolia</i>	Short-leaved Sun Orchid	N	Gr	GML	w/fc	1979	2003		r/r	No	
Orchidaceae	<i>Thelymitra carnea</i>	Tiny Sun Orchid	N	Gr	GML	s/lc	1963	2001	Yes	s/lc	BMNR	DSF, GW
Orchidaceae	<i>Thelymitra juncifolia</i>	Large-spotted Sun Orchid	N	Gr	GML	s/fc	1979	2001	Yes	r/nc	BMNR	DSF, GW
Orchidaceae	<i>Thelymitra megalyptra</i>	Swollen Sun Orchid	N	Gr			1975	1989		r/r	No	
Orchidaceae	<i>Thelymitra nuda</i>	Plain Sun Orchid	N	Gr				2002		?	No	
Orchidaceae	<i>Thelymitra pauciflora</i>	Slender Sun Orchid	N	Gr			1975	2001	Yes	s/lc	BMNR	GW

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Orchidaceae	<i>Thelymitra peniculata</i>	Trim Sun Orchid	N	Gr	spec		1963	1998	Yes	r/nc	BMNR	DSF, GW
Orchidaceae	<i>Thelymitra simulata</i>	Collared Sun Orchid	N	Gr				2005	Yes	r/nc	BMNR	DSF, GW
Orchidaceae	<i>Thelymitra x truncata</i>	Truncate Sun Orchid	N	Gr			1979	2003		r/r	No	
Poaceae	<i>Agrostis capillaris</i>	Browntop Bentgrass, Browntop Bent	E	G	spec		1959		Yes	r/nc	BMNR	CK
Poaceae	<i>Agrostis gigantea</i>	Redtop Bentgrass, Redtop Bent	E	G	GML	vr/lc	1961				No	
Poaceae	<i>Agrostis venusta</i>	Graceful Bentgrass, Graceful Bent	N	G					Yes	r/lc	BMNR	D
Poaceae	<i>Aira caryophyllea</i> var. <i>caryophyllea</i>	Silvery Hairgrass	E	G	GML	w/fc	1964		Yes	r/lc	BMNR	DSF
Poaceae	<i>Aira cupaniana</i>	Silvery Hairgrass	E	G	GML	w/vc	1958	1995	Yes	s/lc	BMNR	GW
Poaceae	<i>Aira elegantissima</i>	Delicate Hairgrass	E	G	GML	w/fc	1980	1991	Yes	w/c	BMNR	DSF
Poaceae	<i>Amphibromus nervosus</i>	Common Swamp Wallaby Grass	N	G	GML	vr/lc	1952		Yes	r/nc	BMNR	CK
Poaceae	<i>Anthosachne scabra</i>	Common Wheatgrass	N	G	GML	s/fc	1959		Yes	s/nc	BMNR	GW, DSF
Poaceae	<i>Anthoxanthum odoratum</i>	Sweet Vernal Grass	E	G					Yes	vr/lc	BMNR	HD
Poaceae	<i>Aristida ramosa</i>	Purple Wire Grass	N	G	GML	s/fc	1962	2011		s/fc	BMNR	GW
Poaceae	<i>Arrhenatherum elatius</i> var. <i>bulbosum</i>	Bulbous Oatgrass	E	G	GML	r/r	1960s				No	
Poaceae	<i>Austrostipa bigeniculata</i>	Yanganbil, Knead Speargrass	N	G	spec		1966		Yes	r/r	BMNR	GW
Poaceae	<i>Austrostipa densiflora</i>	Foxtail Speargrass	N	G	GML	s/lc	1969	2012	Yes	s/lc	BMNR	CK
Poaceae	<i>Austrostipa ramosissima</i>	Stout Bamboo Grass	NW	G					Yes	vr/oc	BGN	HD
Poaceae	<i>Austrostipa scabra</i> subsp. <i>falcata</i>	Slender Speargrass	N	G	GML	s/fc	1969	2010	Yes	r/r	BMNR	DSF
Poaceae	<i>Avena barbata</i>	Bearded Oat	E	G	GML	r/lc	1964		Yes	s/nc	BMNR	HD
Poaceae	<i>Avena fatua</i>	Wild Oat	E	G	GML	r/lc	1969				No	
Poaceae	<i>Avena sterilis</i> subsp. <i>ludoviciana</i>	Ludo Wild Oat	E	G	GML	r/lc	1969				No	

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Poaceae	<i>Bothriochloa macra</i>	Redleg Grass, Redgrass	N	G	GML	s/lc	1960	1982	Yes	s/fc	BMNR	GW
Poaceae	<i>Briza maxima</i>	Quaking Grass	E	G	GML	s/lc	1964		Yes	s/nc	BMNR	HD
Poaceae	<i>Briza minor</i>	Shivery Grass	E	G	GML	w/fc	1964		Yes	s/lc	BMNR	HD
Poaceae	<i>Bromus catharticus</i>	Prairie Grass	E	G	GML	s/lc	1976				No	
Poaceae	<i>Bromus diandrus</i>	Great Brome	E	G	GML	s/lc	1978		Yes	s/nc	BMNR	HD
Poaceae	<i>Bromus hordeaceus</i>	Soft Brome	E	G	GML	w/c	1971		Yes	s/nc	BMNR	HD
Poaceae	<i>Bromus inermis</i>	Awnless Brome	E	G	GML	vr/oc	1964				No	
Poaceae	<i>Bromus madritensis</i>	Madrid Brome	E	G	spec		1978				No	
Poaceae	<i>Bromus rubens</i>	Red Brome	E	G					Yes	s/lc	BMNR	HD
Poaceae	<i>Chloris truncata</i>	Windmill Grass	N	G	GML	s/lc	1959		Yes	s/c	BMNR	HD
Poaceae	<i>Chloris virgata</i>	Feathertop Rhodes Grass	E	G				2007		vr/lc	BMNR	HD
Poaceae	<i>Cortaderia selloana</i>	Pampas Grass	E	G					Yes	r/r	BMNR	CK
Poaceae	<i>Cynodon dactylon</i> var. <i>dactylon</i>	Couch	E	G	GML	s/lc	1964		Yes	s/lc	BMNR	HD
Poaceae	<i>Cynosurus echinatus</i>	Rough Dog's-tail	E	G			1980?		Yes	r/r	BMNR	GW
Poaceae	<i>Dactylis glomerata</i>	Cocksfoot	E	G	GML	r/lc	1969				No	
Poaceae	<i>Deyeuxia imbricata</i>	A bentgrass	N	G	spec		1953				No	
Poaceae	<i>Deyeuxia quadriseta</i>	Reed bentgrass	N	G	GML	r/lc	1964		Yes	r/lc	BMNR	CK
Poaceae	<i>Dichelachne hirtella</i>	Plumegrass	N	G	spec		1969				No	
Poaceae	<i>Dichelachne micrantha</i>	Short-haired Plumegrass	N	G	GML	w/fc	1980		Yes	s/nc	BMNR	DSF
Poaceae	<i>Dichelachne sieberiana</i>	Delicate Plumegrass	N	G	GML		1978		Yes	r/nc	BMNR	DSF
Poaceae	<i>Digitaria brownii</i>	Cotton Panicgrass	N	G	GML	r/lc	1962		Yes	r/nc	BMNR	HD
Poaceae	<i>Digitaria sanguinalis</i>	Crabgrass, Summergrass	E	G	GML	s/lc	1966	1981?	Yes	vr/oc	BMNR	HD
Poaceae	<i>Echinopogon caespitosus</i> var. <i>caespitosus</i>	Bushy Hedgehog Grass	N	G	GML	s/lc	1964	2009	Yes	s/nc	BMNR	CK, D
Poaceae	<i>Echinopogon cheelii</i>	Rough Bearded Grass	N	G	GML	r/nc	1969		Yes	s/r	BMNR	CK
Poaceae	<i>Echinopogon ovatus</i>	Forest Hedgehog Grass	N	G	GML	r/nc	1969		Yes	s/nc	BMNR	DSF

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Poaceae	<i>Ehrharta erecta</i> var. <i>erecta</i>	Panic Veldtgrass	E	G					Yes	r/lc	BMNR	HD
Poaceae	<i>Ehrharta longiflora</i>	Annual Veldtgrass	E	G					Yes	s/lc	BMNR	HD
Poaceae	<i>Eleusine tristachya</i>	Goose Grass	E	G					Yes	r/oc	BMNR	HD
Poaceae	<i>Enneapogon nigricans</i>	Nine-awned Grass	N	G	GML	s/lc	1966				No	
Poaceae	<i>Eragrostis brownii</i>	Brown's Lovegrass	N	G	GML	s/lc	1960s		Yes	s/lc	BMNR	CK
Poaceae	<i>Eragrostis cilianensis</i>	Stinkgrass	E	G	GML	s/lc	1964				No	
Poaceae	<i>Eragrostis curvula</i>	African Lovegrass	E	G					Yes	r/nc	BMNR	HD
Poaceae	<i>Eragrostis mexicana</i>	Mexican Lovegrass	E	G	GML	r/lc	1962				No	
Poaceae	<i>Eragrostis trachycarpa</i>	Rough-grained Lovegrass, Annual Lovegrass	N	G	spec		1956	1982	Yes	r/r	BMNR	HD
Poaceae	<i>Festuca arundinacea</i>	Tall Fescue	E	G	GML	r/nc	1964		Yes	r/lc	BMNR	CK
Poaceae	<i>Festuca rubra</i>	Red Fescue	E	G	GML	r/lc	1971				No	
Poaceae	<i>Holcus lanatus</i>	Yorkshire Fog	E	G	GML	s/lc	1961		Yes	s/nc	BMNR	HD
Poaceae	<i>Hordeum glaucum</i>	Northern Barleygrass	E	G	GML	w/lc	1969			s/nc	No	
Poaceae	<i>Lachnagrostis filiformis</i>	Blowngrass	N	G	GML	w/c	1962	2009	Yes	s/nc	BMNR	D, CK
Poaceae	<i>Lolium perenne</i>	Perennial Ryegrass	E	G	GML	r/lc	1969				No	
Poaceae	<i>Lolium rigidum</i>	Wimmera Ryegrass	E	G	GML	r/lc	1964		Yes	r/nc	BMNR	HD
Poaceae	<i>Microlaena stipoides</i> var. <i>stipoides</i>	Weeping Grass	N	G	GML	w/lc	1959	2003	Yes	w/lc	BMNR	DSF, GW, CK
Poaceae	<i>Nassella megapotamia</i>	Short-spined Needlegrass	E	G	spec		1962				No	
Poaceae	<i>Nassella neesiana</i>	Chilean Needlegrass	E	G	spec		1962		Yes	r/lc	BMNR	HD
Poaceae	<i>Nassella trichotoma</i>	Serrated Tussock	E	G				1999	Yes	s/nc	BMNR	HD
Poaceae	<i>Panicum effusum</i>	Hairy Panic	N	G	GML	s/lc	1963		Yes	s/lc	BMNR	HD
Poaceae	<i>Panicum gilvum</i>	Sweet Panic	E	G					Yes	s/nc	BMNR	HD
Poaceae	<i>Paspalum dilatatum</i>	Paspalum	E	G	GML	r/lc	1956		Yes	r/lc	BMNR	CK
Poaceae	<i>Phalaris aquatica</i>	Phalaris, Toowoomba Canarygrass	E	G	GML	r/lc	1969		Yes	r/nc	BMNR	HD
Poaceae	<i>Phalaris canariensis</i>	Canarygrass	E	G	GML	R/nc	1980				No	

Plant names, origin and habit					1969		≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017		
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Poaceae	<i>Piptatherum miliaceum</i>	Rice Millet	E	G	GML	R/nc	1965				No	
Poaceae	<i>Poa annua</i>	Annual Poa; Wintergrass	E	G	GML	s/lc	1964		Yes	r/r	BMNR	D
Poaceae	<i>Poa bulbosa</i>	Bulbous Poa	E	G	GML	r/lc	1964				No	
Poaceae	<i>Poa labillardierei</i> var. <i>labillardierei</i>	Tussock grass; River Tussock Grass	N	G			1971		Yes	r/nc	BMNR	CK, DSF
Poaceae	<i>Poa pratensis</i>	Kentucky Bluegrass	E	G	spec		1952				No	
Poaceae	<i>Poa sieberiana</i> var. <i>cyanophylla</i>	Blue-leaved Snow- grass	N	G			1978		Yes	s/nc	BMNR	DSF
Poaceae	<i>Poa sieberiana</i> var. <i>hirtella</i>	Fine-leaved Snow- grass	N	G			1975				No	
Poaceae	<i>Poa sieberiana</i> var. <i>sieberiana</i>	Snowgrass	N	G	GML		1978	1998	Yes	w/lc	BMNR	DSF
Poaceae	<i>Psilurus incurvus</i>	Bristle-tail Grass	E	G	GML	r/lc	1964				No	
Poaceae	<i>Rostraria cristata</i>	Annual Cat's-tail	E	G	GML	r/lc	1949				No	
Poaceae	<i>Rytidosperma auriculatum</i>	Lobed Wallaby Grass	N	G	GML	s/fc	1969				No	
Poaceae	<i>Rytidosperma caespitosum</i>	Ringed Wallaby Grass	N	G	GML	w/c	1975	2005	Yes	w/c	BMNR	DSF, GW
Poaceae	<i>Rytidosperma carphoides</i>	Short Wallaby Grass	N	G	GML	w/c	1964	2005	Yes	r/nc	BMNR	GW
Poaceae	<i>Rytidosperma duttonianum</i>	Brown-back Wallaby Grass	N	G	GML	r/nc	1976	2005			No	
Poaceae	<i>Rytidosperma erianthum</i>	Hill Wallaby Grass	N	G	GML	w/c	1969	2005			No	
Poaceae	<i>Rytidosperma fulvum</i>	Wallaby grass	N	G			1976	2005			No	
Poaceae	<i>Rytidosperma laeve</i>	Bare-backed Wallaby Grass	N	G	GML	s/fc	1969	2011		vr/oc	BMNR	?
Poaceae	<i>Rytidosperma monticola</i>	Wallaby Grass	N	G	GML	s/fc	1964	2005	Yes	s/lc	BMNR	DSF
Poaceae	<i>Rytidosperma pallidum</i>	Red-anthered Wallaby Grass	N	G	GML	w/vc	1976	2011	Yes	w/vc	BMNR	DSF
Poaceae	<i>Rytidosperma penicillatum</i>	Slender Wallaby Grass	N	G	GML	s/lc	1961				No	
Poaceae	<i>Rytidosperma pilosum</i>	Smooth-flowered Wallaby Grass	N	G	GML	w/fc	1964	2005	Yes	r/nc	BMNR	DSF

Plant names, origin and habit					1969	≤1980	1981–2012	Dec 2013 to Ap 2017	2007–2017			
Family Name	Scientific Name	Common Name	Origin	Habit	Source of record	D/A rating	Year of last record	Year of last record	Recorded?	D/A rating	Location	Broad habitat
Poaceae	<i>Rytidosperma racemosum</i>	Striped Wallaby Grass	N	G	GML	s/lc	1964	2005	Yes	r/nc	BMNR	GW
Poaceae	<i>Rytidosperma tenuius</i>	Purplish Wallaby Grass	N	G	GML	s/lc	1978	2005			No	
Poaceae	<i>Secale cereale</i>	Rye	E	G	GML	r/lc	1964				No	
Poaceae	<i>Setaria italica</i>	Italian Millet	E	G	GML	R/r	1966				No	
Poaceae	<i>Setaria parviflora</i>	Slender Pigeongrass	E	G	spec		1967		Yes	r/nc	BMNR	HD
Poaceae	<i>Sorghum leiocladum</i>	Wild Sorghum	N	G	GML	s/lc	1930		Yes	r/r	BMNR	GW
Poaceae	<i>Sporobolus africanus</i>	Parramatta Grass	E	G					Yes	r/nc	BMNR	HD
Poaceae	<i>Themeda triandra</i>	Kangaroo Grass	N	G	GML	w/fc	1970	2011	Yes	s/fc	BMNR	GW
Poaceae	<i>Tripogon loliiformis</i>	Five Minute Grass	N	G	GML	s/lc	1946		Yes	r/lc	BMNR	GW
Poaceae	<i>Vulpia bromoides</i>	Squirrel-tail Fescue	E	G	GML	w/fc	1960s		Yes	s/lc	BMNR	DSF, GW
Poaceae	<i>Vulpia muralis</i>	Wall Fescue	E	G	spec		1952				No	
Poaceae	<i>Vulpia myuros</i> f. <i>megalura</i>	Rat's-tail Fescue	E	G	GML	r/lc	1964		Yes	s/lc	BMNR	DSF, GW
Poaceae	<i>Vulpia myuros</i> f. <i>myuros</i>	Rat's-tail Fescue	E	G	GML	w/fc	1952				No	
Typhaceae	<i>Typha orientalis</i>	Broad-leaved Cumbungee	N	A	GML	r/lc	1960s		Yes	vr/lc	BMNR	CK

Species with no verifiable record from the Black Mountain area since the end of 1980

Explanation of codes

Origin ^a (column 5)		Habit ^b (column 6)		Missing species category ^c (column 7)		Status in ACT Census ^d (column 8)	
E	Exotic	F	Forb	Species probably no longer present in Black Mtn area		DN	Doubtfully naturalised
N	Indigenous	Fe	Fern	DRW	Probably destroyed by roadworks	FN	Formerly naturalised
NW	Native weed	G	Grass	GLI	Good location information but not relocated	NLP	No longer present in the ACT
		Gr	Graminoid	OOV	One-off record as a probable vagrant		
U	Uncertain	S	Shrub	RD	Associated only with rubbish dump in 1969 list		
		SS	Subshrub	Species probably outside defined Black Mtn area			
				CSIRO	Species a probable escapee into area N of CSIRO (excluded from 2017 area)		
				DHN	Deduced from herbarium specimen notes and 1969 distribution		
				GS	Probably a grassland species outside current area		
				Other			
				DS	Species associated with highly disturbed areas in 1969		
				PMD	Species possibly mis-identified		

^a Definitions of origin categories are provided in Table 1 of the report.

^b Definitions of habit categories are provided in Table 2 of the report.

^c Missing species category codes are described in more detail in section 3.3 of the report.

^d Explanations of these terms are provided in Lepschi et al. (2017); all other species in the table below are current in the ACT Plant Census.

Family Name	Scientific name	Common Name	Year of last pre-1981 collection	Origin	Habit	Category code	ACT Census status
Ferns							
Aspleniaceae	<i>Pleurosorus subglandulosus</i>	A fern	1962	N	Fe		
Blechnaceae	<i>Blechnum cartilagineum</i>	Gristle Fern	1978	N	Fe	GLI	
Flowering plants							
Aizoaceae	<i>Carpobrotus aequilaterus</i>	Chilean Pigface	1964	E	SS	DRW	NLP

Amaranthaceae	<i>Amaranthus powellii</i>	Powell's Amaranth	1972	E	F	DS	
Asteraceae	<i>Centipeda elatinooides</i>	Spreading Sneezeweed	1962	N	F		
Asteraceae	<i>Helianthus tuberosus</i>	Jerusalem Artichoke	1963	E	F	DS	NLP
Asteraceae	<i>Isoetopsis graminifolia</i>	Grass Cushions	1960s	N	F		
Asteraceae	<i>Lactuca saligna</i>	Wild Lettuce	1962	E	F	OOV	
Asteraceae	<i>Ozothamnus conditus</i>	Sprawling Everlastingbush	1962	N	S	GLI	
Asteraceae	<i>Senecio linearifolius</i> var. <i>latifolius</i>	Fireweed Groundsel	1980?	N	F		
Asteraceae	<i>Silybum marianum</i>	Variegated Thistle	1971	E	F		
Asteraceae	<i>Stuartina hamata</i>	Hooked Cudweed	1961	N	F	DS	
Asteraceae	<i>Taraxacum</i> sect. <i>Taraxacum</i>	Dandelion	1964	E	F		
Asteraceae	<i>Tragopogon porrifolius</i> subsp. <i>porrifolius</i>	Salsify	1969	E	F		
Asteraceae	<i>Xanthium spinosum</i>	Bathurst Burr	1980	E	F		
Boraginaceae	<i>Buglossoides arvensis</i>	Corn Gromwell	1954	E	F		
Boraginaceae	<i>Cynoglossum australe</i>	Australian Hound's Tongue	1939	N	F		
Brassicaceae	<i>Brassica rapa</i>	Mediterranean Turnip	1962	E	F	RD	
Brassicaceae	<i>Capsella bursa-pastoris</i>	Shepherd's Purse	1964	E	F		
Brassicaceae	<i>Erophila verna</i> subsp. <i>verna</i>	Whitlowgrass	1964	E	F		
Brassicaceae	<i>Lepidium didymum</i>	Peppercress	1965	E	F	RD	
Brassicaceae	<i>Sisymbrium officinale</i>	Hedge Mustard	1980	E	F	RD	
Campanulaceae	<i>Lobelia pedunculata</i>	Matted Pratia	1950	N	F		
Campanulaceae	<i>Wahlenbergia gracilentia</i>	Annual Bluebell	1961	N	F	DS	
Campanulaceae	<i>Wahlenbergia littoricola</i> subsp. <i>littoricola</i>	A native bluebell	1975	N	F	PMD	
Caryophyllaceae	<i>Cerastium balearicum</i>	Balaeric Mouse-eared Chickweed	1964	E	F		NLP
Caryophyllaceae	<i>Petrorhagia dubia</i>	Velvet Pink	1935	E	F		
Caryophyllaceae	<i>Spergula arvensis</i>	Corn Spurrey	1958?	E	F	RD	FN
Caryophyllaceae	<i>Stellaria multiflora</i> subsp. <i>collaris</i>	A starwort	1964	N	F		
Caryophyllaceae	<i>Stellaria multiflora</i> subsp. <i>nebulosa</i>	Rayless Starwort	1964	N	F		
Chenopodiaceae	<i>Dysphania multifida</i>	Scented Goosefoot	1960s	E	F		
Colchicaceae	<i>Burchardia umbellata</i>	Milkmaids	1964	N	Gr		

Crassulaceae	<i>Crassula colligata</i> subsp. <i>colligata</i>		1978	N	F		
Crassulaceae	<i>Crassula decumbens</i> var. <i>decumbens</i>	Spreading Crassula, Rufous Stonecrop	1964	N	F		
Crassulaceae	<i>Sedum praealtum</i> subsp. <i>praealtum</i>	Stonecrop	1962	E	S	RD	NLP
Cucurbitaceae	<i>Citrullus amarus</i>	Wild Melon, Bitter Melon	1962	E	F	GLI	
Cyperaceae	<i>Isolepis platycarpa</i>	Flatfruit Clusdsedge	1949	N	Gr		
Cyperaceae	<i>Isolepis subtilissima</i>	Dwarf Clusdsedge	1953	N	Gr		
Cyperaceae	<i>Schoenus latelaminatus</i>	Medusa Bogssedge	1953	N	Gr		
Ericaceae	<i>Lissanthe strigosa</i> subsp. <i>subulata</i>	Peach Heath	1949	N	S		
Ericaceae	<i>Styphelia triflora</i>	Five-corners	1973	N	S		
Fabaceae	<i>Desmodium brachypodium</i>	Large Tick Trefoil	1971	N	F		
Fabaceae	<i>Genista monspessulana</i>	Montpellier Broom	1962	E	S	DRW	
Fabaceae	<i>Lotus australis</i> var. <i>australis</i>	Australian Trefoil	1969	N	F	GS	
Fabaceae	<i>Medicago arabica</i>	Spotted Medic	1952	E	F		
Fabaceae	<i>Medicago lupulina</i>	Black Medic	1975	E	F		
Fabaceae	<i>Medicago minima</i>	Woolly-burred Medic	1960s	E	F		
Fabaceae	<i>Medicago polymorpha</i>	Burred Medic	1980	E	F		
Fabaceae	<i>Medicago truncatula</i>	Barrel medic	1964	E	F	DS	FN
Fabaceae	<i>Robinia pseudoacacia</i>	Black Locust	1980	E	S	GLI	
Fabaceae	<i>Swainsona monticola</i>	Notched Swainson-pea	1953	N	F	GS	
Fabaceae	<i>Swainsona recta</i>	Small Purple Pea	1939	N	F		
Fabaceae	<i>Vicia disperma</i>	French Tiny Vetch	1959	E	F	CSIRO	
Geraneaceae	<i>Erodium botrys</i>	Long Storksbill	1960s	E	F	RD	
Geraniaceae	<i>Erodium cicutarium</i>	Common Storksbill	1980?	E	F		
Goodeniaceae	<i>Goodenia ovata</i>		1969	NW	S	OOV	
Haloragaceae	<i>Myriophyllum crispatum</i>	Upright Water Milfoil	1964	N	F		
Juncaceae	<i>Juncus filicaulis</i>	Thread Rush	1960s	N	Gr		
Juncaceae	<i>Luzula flaccida</i>	Pale Woodrush	1975	N	Gr		
Juncaceae	<i>Luzula meridionalis</i>	Field Woodrush	1975	N	Gr		
Lamiaceae	<i>Prunella vulgaris</i>	Selfheal	1964	E	F	DS	
Malvaceae	<i>Malva parviflora</i>	Small-flowered Mallow	1964	E	F		
Onagraceae	<i>Oenothera stricta</i> subsp. <i>stricta</i>	Evening Primrose	1959?	E	F	DS	

Orchidaceae	<i>Caladenia filamentosa</i>	Daddy Long-legs	1975	N	Gr		
Papaveraceae	<i>Eschscholzia californica</i>	Californian Poppy	1960s	E	F	RD	
Papaveraceae	<i>Papaver hybridum</i>	Rough Poppy	1964	E	F		
Papaveraceae	<i>Papaver rhoeas</i>	Field Poppy	1965	E	F	RD	NLP
Phrymaceae	<i>Limosella australis</i>	Mudwort	1964	N	F		
Plantaginaceae	<i>Veronica derwentiana</i> subsp. <i>derwentiana</i>	Derwent Speedwell	1938	N	SS		
Plantaginaceae	<i>Veronica peregrine</i> subsp. <i>xalapensis</i>	Wandering Speedwell	1960s	E	F		
Poaceae	<i>Agrostis gigantea</i>	Redtop Bentgrass, Redtop Bent	1961	E	G	DHN	NLP
Poaceae	<i>Arrhenatherum elatius</i> var. <i>bulbosum</i>	Bulbous Oatgrass	1960s	E	G	CSIRO	NLP
Poaceae	<i>Avena fatua</i>	Wild Oat	1969	E	G	DS	
Poaceae	<i>Avena sterilis</i> subsp. <i>ludoviciana</i>	Ludo Wild Oat	1969	E	G	CSIRO	FN
Poaceae	<i>Bromus catharticus</i>	Prairie Grass	1976	E	G		
Poaceae	<i>Bromus inermis</i>	Awnless Brome	1964	E	G		NLP
Poaceae	<i>Bromus madritensis</i>	Madrid Brome	1978	E	G		
Poaceae	<i>Dactylis glomerata</i>	Cocksfoot	1969	E	G		
Poaceae	<i>Deyeuxia imbricata</i>	A bentgrass	1953	N	G		
Poaceae	<i>Dichelachne hirtella</i>	Plumegrass	1969	N	G		
Poaceae	<i>Enneapogon nigricans</i>	Nine-awned Grass	1966	N	G		
Poaceae	<i>Eragrostis cilianenses</i>	Stinkgrass	1964	E	G	DS	
Poaceae	<i>Eragrostis mexicana</i>	Mexican Lovegrass	1962	E	G	DS	
Poaceae	<i>Festuca rubra</i>	Red Fescue	1971	E	G		
Poaceae	<i>Hordeum glaucum</i>	Northern Barleygrass	1969	E	G	DS	
Poaceae	<i>Lolium perenne</i>	Perennial Ryegrass	1969	E	G		
Poaceae	<i>Nassella megapotamia</i>	Short-spined Needlegrass	1962	E	G	CSIRO	NLP
Poaceae	<i>Phalaris canariensis</i>	Canarygrass	1980	E	G	RD	NLP
Poaceae	<i>Piptatherum miliaceum</i>	Rice Millet	1965	E	G	RD	NLP
Poaceae	<i>Poa bulbosa</i>	Bulbous Poa	1964	E	G		
Poaceae	<i>Poa pratensis</i>	Kentucky Bluegrass	1952	E	G	CSIRO	
Poaceae	<i>Poa sieberiana</i> var. <i>hirtella</i>	Fine-leaved Snow-grass	1975	N	G		
Poaceae	<i>Psilurus incurvus</i>	Bristle-tail Grass	1964	E	G		
Poaceae	<i>Rostraria cristata</i>	Annual Cat's-tail	1949	E	G		

Poaceae	<i>Rytidosperma auriculatum</i>	Lobed Wallaby Grass	1969	N	G		
Poaceae	<i>Rytidosperma penicillatum</i>	Slender Wallaby Grass	1961	N	G		
Poaceae	<i>Secale cereale</i>	Rye	1964	E	G	CSIRO	
Poaceae	<i>Setaria italica</i>	Italian Millet	1966	E	G	RD	
Poaceae	<i>Vulpia muralis</i>	Wall Fescue	1952	E	G		
Poaceae	<i>Vulpia myuros</i> f. <i>myuros</i>	Rat's-tail Fescue	1952	E	G	DS	
Polygonaceae	<i>Rumex conglomeratus</i>	Clustered Dock	1965	E	F	RD	
Polygonaceae	<i>Rumex dumosus</i>	Wiry Dock	1960s	N	F		
Proteaceae	<i>Hakea microcarpa</i>	Jaradinty, Small-fruited Hakea	1949	N	S		
Rosaceae	<i>Aphanes arvensis</i>	Parsley Piert	1949	E	F		
Rosaceae	<i>Rubus loganobaccus</i>	Loganberry	1960	E	S	DHN	DN
Thymelaeaceae	<i>Pimelea glauca</i>	Smooth Riceflower	1949	N	S		
Violaceae	<i>Viola caleyana</i>	Swamp Violet	1972	U	F		